	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	298	classif$6 with (customer$1 or request$1) with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 10:52			
2	BRS	L2	4	classif$6 with (customer$1 or request$1) with server with rule$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 09:39			
3	BRS	L3	2	2 and subsequent	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 11:33			
4	BRS	L4	2	2 not 3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 09:50			
5	BRS	L5	7	("6442553" | "6493813" | "6542488" | "6556982" | "6625689" | "6700809" | "6718379").PN.	US-PGPUB; USPAT; USOCR	2005/03/21 09:51			
6	BRS	L6	7	("6442553" | "6493813" | "6542488" | "6556982" | "6625689" | "6700809" | "6718379").PN.	US-PGPUB; USPAT; USOCR	2005/03/21 10:51			
7	BRS	L7	13	("5924116" | "6006264" | "6026413" | "6052718" | "6112279" | "6138162" | "6185598" | "6212565" | "6330561" | "6345303" | "6351775" | "6374300" | "6449647").PN.	US-PGPUB; USPAT; USOCR	2005/03/21 10:51			
8	BRS	L8	20	6 or 7	US-PGPUB; USPAT; USOCR	2005/03/21 10:51			
9	BRS	L9	20	8 not 2	US-PGPUB; USPAT; USOCR	2005/03/21 10:52			
10	BRS	L10	0	1 and 9	US-PGPUB; USPAT; USOCR	2005/03/21 10:52			
11	BRS	L11	737476	classif$6 or (customer$1 or request$1) or server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 10:52			
12	BRS	L12	19	9 and 11	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 10:52			
13	BRS	L13	9	("5802054" | "5949786" | "5953335" | "6091725" | "6157623" | "6167445" | "6170009" | "6463475" | "6496478").PN.	US-PGPUB; USPAT; USOCR	2005/03/21 10:55			
14	BRS	L14	9	("5517617" | "5606665" | "5875296" | "5936939" | "6006260" | "6076108" | "6098093" | "6185598" | "6279001").PN.	US-PGPUB; USPAT; USOCR	2005/03/21 11:30			
15	BRS	L15	41	12 or 13 or 14 or 6 or 7 or 2	US-PGPUB; USPAT; USOCR	2005/03/21 11:30			
16	BRS	L16	9449	709/225,229,235,226,232,233,250,239,238.ccls.	US-PGPUB; USPAT; USOCR	2005/03/21 11:31			
17	BRS	L17	2522	718/102,103,104,105.ccls.	US-PGPUB; USPAT; USOCR	2005/03/21 11:32			
18	BRS	L18	11615	16 or 17	US-PGPUB; USPAT; USOCR	2005/03/21 11:32			
19	BRS	L19	11599	18 not 15	US-PGPUB; USPAT; USOCR	2005/03/21 11:32			
20	BRS	L20	28	19 and 1	US-PGPUB; USPAT; USOCR	2005/03/21 11:32			
21	BRS	L21	13	20 and subsequent	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 13:14			
22	BRS	L22	8	21 and transaction$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 11:43			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
23	BRS	L23	0	"6374300".pn. and transaction$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 16:43			
24	BRS	L24	1	"6374300".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 11:50			
25	BRS	L26	3	25 and transaction$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 13:03			
26	BRS	L27	1	"6728748".pn. and transaction$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 17:01			
27	BRS	L28	1	"6728748".pn. and gold	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 12:53			
28	BRS	L25	3	("5875296" "6076108" "6772225").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 12:55			
29	BRS	L29	6	25 or 24 or 28 or "6789125".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 13:05			
30	BRS	L31	0	29 and pars$3 with (new or exist$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 13:05			
31	BRS	L30	2	29 and pars$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 13:11			
32	BRS	L32	8	22 not 30	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 13:11			
33	BRS	L33	0	32 and pars$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 13:11			
34	BRS	L34	5	21 not 22	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 13:11			
35	BRS	L35	1	34 and pars$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 13:11			
36	BRS	L36	15	20 not 21	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 13:11			
37	BRS	L37	2	36 and pars$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 13:11			
38	BRS	L38	51	pars$3 with subsequent with request$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 13:14			
39	BRS	L39	10	19 and 38	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 13:14			
40	BRS	L40	1	"6728748".pn. and transaction$1 and respons$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 15:54			
41	BRS	L41	1	"6728748".pn. and cookie$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 14:30			
42	BRS	L42	1	"6728748".pn. and rules	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 15:54			
43	BRS	L43	1	"6374300".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 16:43			
44	BRS	L44	2	("6728748" "6374300").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 17:02			
45	BRS	L45	1	44 and cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 17:39			
46	BRS	L46	131	cache with hold$3 with frequently with (information or data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 17:06			
47	BRS	L47	0	1 and 46	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 17:04			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
48	BRS	L48	0	38 and 46	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 17:04			
49	BRS	L49	1	18 and 46	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 17:04			
50	BRS	L51	0	18 and 50	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 17:06			
51	BRS	L50	10	cache with holding with frequently with (accessed or requested) with (information or data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 17:09			
52	BRS	L52	0	44 and gateway	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 17:40			
53	BRS	L53	0	44 and plug$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/21 17:40			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	13123	707/1,2,3,4,9,100,104.5.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 20:30			
2	BRS	L2	830	709/207,240,1,100,101,102,103,104,105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 22:14			
3	BRS	L3	6932	705/1,400,7,8,9,500.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 20:31			
4	BRS	L4	20662	1 or 2 or 3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 20:34			
5	BRS	L5	0	(rule$1 or guidance$1) same (classificat$4 near4 (request$1 or response$1)) same (request$1 with access$3 with application$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 21:51			
6	BRS	L6	23	(rule$1 or guidance$1) and (classificat$4 near4 (request$1 or response$1)) and (request$1 with access$3 with application$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 21:45			
7	BRS	L7	513	tag with classificat$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 20:38			
8	BRS	L8	0	6 and 7	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 20:39			
9	BRS	L9	8	6 and tag	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 20:39			
10	BRS	L10	2	9 and 4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 20:39			
11	BRS	L11	35	("5481700" | "5640552" | "5652882" | "5694590").PN. OR ("5826268").URPN.	US-PGPUB; USPAT; USOCR	2005/03/05 20:49			
12	BRS	L12	6	9 not 10	US-PGPUB; USPAT; USOCR	2005/03/05 20:52			
13	BRS	L13	35	11 not 9	US-PGPUB; USPAT; USOCR	2005/03/05 20:52			
14	BRS	L15	0	13 and 14	US-PGPUB; USPAT; USOCR	2005/03/05 20:52			
15	BRS	L14	15	6 not 9	US-PGPUB; USPAT; USOCR	2005/03/05 20:53			
16	BRS	L16	11	14 and priority	US-PGPUB; USPAT; USOCR	2005/03/05 21:43			
17	BRS	L17	4	14 not 16	US-PGPUB; USPAT; USOCR	2005/03/05 21:30			
18	BRS	L18	369	response$1 near4 classifying	US-PGPUB; USPAT; USOCR	2005/03/05 21:30			
19	BRS	L20	0	2 and 6	US-PGPUB; USPAT; USOCR	2005/03/05 21:30			
20	BRS	L21	378608	(rule$1 or guidance$1) or (classificat$4 near4 (request$1 or response$1)) or (request$1 with access$3 with application$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 21:31			
21	BRS	L22	1	19 and 21	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 21:31			
22	BRS	L19	2	7 and 18	US-PGPUB; USPAT; USOCR	2005/03/05 21:32			
23	BRS	L23	6	(analyz$3 with request$1) and 7	US-PGPUB; USPAT; USOCR	2005/03/05 21:33			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
24	BRS	L24	5	23 and 21	US-PGPUB; USPAT; USOCR	2005/03/05 21:38			
25	BRS	L25	1159	analyz$3 near4 transaction	US-PGPUB; USPAT; USOCR	2005/03/05 21:47			
26	BRS	L26	1839	generat$3 with (tag or label) with response	US-PGPUB; USPAT; USOCR	2005/03/05 21:47			
27	BRS	L27	1	25 and 26	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 21:45			
28	BRS	L28	0	(analyz$3 near4 transaction) with generat$3 with tag with response	US-PGPUB; USPAT; USOCR	2005/03/05 21:53			
29	BRS	L29	0	(analyz$3 near4 transaction) same (generat$3 with tag$1 with response)	US-PGPUB; USPAT; USOCR	2005/03/05 21:48			
30	BRS	L30	0	(analyz$3 near4 transaction) same (generat$3 with identifyer with response)	US-PGPUB; USPAT; USOCR	2005/03/05 21:49			
31	BRS	L31	143	(analyz$3 near4 transaction) same (generat$3 with identifyer with25 and 4 response)	US-PGPUB; USPAT; USOCR	2005/03/05 21:49			
32	BRS	L32	140	25 and 4	US-PGPUB; USPAT; USOCR	2005/03/05 21:49			
33	BRS	L33	0	32 and 7	US-PGPUB; USPAT; USOCR	2005/03/05 21:49			
34	BRS	L34	19	32 and tag	US-PGPUB; USPAT; USOCR	2005/03/05 21:49			
35	BRS	L35	8	34 and classif$6	US-PGPUB; USPAT; USOCR	2005/03/05 21:49			
36	BRS	L36	2406	709/207,240,1,100,101,102,103,104,105,226.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 21:51			
37	BRS	L37	15464	1 or 36	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 21:51			
38	BRS	L38	0	(rule$1 or guidance$1) same (classificat$4 near4 response$1) same (request$1 with access$3 with application$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 21:51			
39	BRS	L39	6	(rule$1 or guidance$1) and (classificat$4 near4 response$1) and (request$1 with access$3 with application$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 21:53			
40	BRS	L40	1159	(analyz$3 near4 transaction)	US-PGPUB; USPAT; USOCR	2005/03/05 21:54			
41	BRS	L41	0	6 and 40	US-PGPUB; USPAT; USOCR	2005/03/05 21:53			
42	BRS	L42	3846	(analyz$3 near4 request$1)	US-PGPUB; USPAT; USOCR	2005/03/05 21:54			
43	BRS	L44	4	43 and tag	US-PGPUB; USPAT; USOCR	2005/03/05 21:54			
44	BRS	L43	5	6 and 42	US-PGPUB; USPAT; USOCR	2005/03/05 22:13			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error or Definition	Errors
1	BRS	L1	0	709/103.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 22:18			
2	BRS	L2	0	709/102,103.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 22:21			
3	BRS	L3	2406	709/207,226,240.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 22:22			
4	BRS	L4	1913	707/7,9.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 22:22			
5	BRS	L5	4293	3 or 4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 22:23			
6	BRS	L6	17279	request with transaction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 22:23			
7	BRS	L7	17279	request with transaction$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 22:23			-
8	BRS	L8	3516	analyzing near4 response	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 22:23			
9	BRS	L9	3516	analyzing near4 response$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 22:23			
10	BRS	L10	52	7 and 9	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 22:23			
11	BRS	L11	5	5 and 10	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 22:23			
12	BRS	L12	1	11 and tag$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 22:28			
13	BRS	L13	2	("6006264" "6449647").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 22:28			
14	BRS	L14	2	13 and tag$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 22:29			
15	BRS	L15	2	14 and "19"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 22:30			
16	BRS	L16	4	11 not 12	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/05 22:30			

```
Set      Items    Description
S1          ` 1    AU=(BHOJ P? OR BHOJ, P?)
S2        897002   CLASSIF? OR GROUP? OR CATEGOR?
S3          1746   BUSINESS()RULE? ?
S4        797110   DATA OR INFORMATION OR INFO
S5       1684784   REQUEST?
S6        451597   RESPONSE? ? OR RESPOND?
S7            64   DATA()SERVICE()SYSTEM
S8          5451   S2(5N)S5
S9             4   S8(S)S7
S10            2   S7(S)S3
S11           35   S8(S)S3
S12           37   S9:S11
S13           35   S12 AND IC=G06F?
File 348:EUROPEAN PATENTS 1978-2005/Feb W04
        (c) 2005 European Patent Office
File 349:PCT FULLTEXT 1979-2002/UB=20050303,UT=20050224
        (c) 2005 WIPO/Univentio
```

```
Set      Items     Description
S1           3     AU=(BHOJ P? OR BHOJ, P?)
S2    20100768     CLASSIF? OR GROUP? OR CATEGOR?
S3       48728     BUSINESS()RULE? ?
S4    27979713     DATA OR INFORMATION OR INFO
S5     2929742     REQUEST?
S6     5318413     RESPONSE? ? OR RESPOND?
S7         241     DATA()SERVICE()SYSTEM
S8       43863     S2(5N)S5
S9           0     S7(30N)S8
S10         35     S8(S)S3
S11          0     S7 AND S8
S12          9     S7(S)S5
S13         44     S10 OR S12
S14         26     RD (unique items)
File   9:Business & Industry(R) Jul/1994-2005/Mar 08
         (c) 2005  The Gale Group
File  15:ABI/Inform(R) 1971-2005/Mar 09
         (c) 2005 ProQuest Info&Learning
File  16:Gale Group PROMT(R) 1990-2005/Mar 09
         (c) 2005 The Gale Group
File 148:Gale Group Trade & Industry DB 1976-2005/Mar 09
         (c)2005 The Gale Group
File 160:Gale Group PROMT(R) 1972-1989
         (c) 1999 The Gale Group
File 275:Gale Group Computer DB(TM) 1983-2005/Mar 09
         (c) 2005 The Gale Group
File 621:Gale Group New Prod.Annou.(R) 1985-2005/Mar 09
         (c) 2005 The Gale Group
File 636:Gale Group Newsletter DB(TM) 1987-2005/Mar 09
         (c) 2005 The Gale Group
File  20:Dialog Global Reporter 1997-2005/Mar 09
         (c) 2005 The Dialog Corp.
File 476:Financial Times Fulltext 1982-2005/Mar 09
         (c) 2005 Financial Times Ltd
File 610:Business Wire 1999-2005/Mar 09
         (c) 2005 Business Wire.
File 613:PR Newswire 1999-2005/Mar 09
         (c) 2005 PR Newswire Association Inc
File 624:McGraw-Hill Publications 1985-2005/Mar 04
         (c) 2005 McGraw-Hill Co. Inc
File 634:San Jose Mercury  Jun 1985-2005/Mar 08
         (c) 2005 San Jose Mercury News
File 810:Business Wire 1986-1999/Feb 28
         (c) 1999 Business Wire
File 813:PR Newswire 1987-1999/Apr 30
         (c) 1999 PR Newswire Association Inc
```

```
Set      Items    Description
S1           5    AU=(BHOJ P? OR BHOJ, P?)
S2     1521035    CLASSIF? OR GROUP? OR CATEGOR?
S3        1004    BUSINESS()RULE? ?
S4     3381712    DATA OR INFORMATION OR INFO
S5       94284    REQUEST?
S6      713744    RESPONSE? ? OR RESPOND?
S7          13    DATA()SERVICE()SYSTEM
S8     5017169    S2:S6
S9          13    S7 AND S8
? show file
File    2:INSPEC 1969-2005/Feb W4
          (c) 2005 Institution of Electrical Engineers
File   35:Dissertation Abs Online 1861-2005/Feb
          (c) 2005 ProQuest Info&Learning
File   65:Inside Conferences 1993-2005/Mar W1
          (c) 2005 BLDSC all rts. reserv.
File   99:Wilson Appl. Sci & Tech Abs 1983-2005/Jan
          (c) 2005 The HW Wilson Co.
File  474:New York Times Abs 1969-2005/Mar 08
          (c) 2005 The New York Times
File  475:Wall Street Journal Abs 1973-2005/Mar 08
          (c) 2005 The New York Times
File  583:Gale Group Globalbase(TM) 1986-2002/Dec 13
          (c) 2002 The Gale Group
File  256:TecInfoSource 82-2005/Jan
          (c) 2005 Info.Sources Inc
```

```
Set      Items    Description
S1           6    AU=(BHOJ P? OR BHOJ, P?)
S2     1015100    CLASSIF? OR GROUP? OR CATEGOR?
S3         274    BUSINESS()RULE? ?
S4     2870206    DATA OR INFORMATION OR INFO
S5      190763    REQUEST?
S6      528835    RESPONSE? ? OR RESPOND?
S7         544    DSS OR DATA()SERVICE()SYSTEM
S8        2972    S2(7N)S5
S9           3    S7 AND S8
S10          1    S7 AND S3
S11        377    S8 AND S6 AND S4
S12          2    S11 AND (S7 OR S3)
S13          3    S9 OR S10 OR S12
? show file
File 347:JAPIO Nov 1976-2004/Oct(Updated 050209)
        (c) 2005 JPO & JAPIO
File 350:Derwent WPIX 1963-2005/UD,UM &UP=200516
        (c) 2005  Thomson Derwent
```

```
Set      Items      Description
S1           6      AU=(BHOJ P? OR BHOJ, P?)
S2     1015100      CLASSIF? OR GROUP? OR CATEGOR?
S3         274      BUSINESS()RULE? ?
S4     2870206      DATA OR INFORMATION OR INFO
S5      190763      REQUEST?
S6      528835      RESPONSE? ? OR RESPOND?
S7         544      DSS OR DATA()SERVICE()SYSTEM
S8        2972      S2(7N)S5
S9           3      S7 AND S8
S10          1      S7 AND S3
S11        377      S8 AND S6 AND S4
S12          2      S11 AND (S7 OR S3)
S13          3      S9 OR S10 OR S12
? show file
File 347:JAPIO Nov 1976-2004/Oct(Updated 050209)
         (c) 2005 JPO & JAPIO
File 350:Derwent WPIX 1963-2005/UD,UM &UP=200516
         (c) 2005  Thomson Derwent
```

13/5/1   (Item 1 from file: 350)

014876365   **Image available**
WPI Acc No: 2002-697071/200275
XRPX Acc No: N02-549560
  Connection management system for data   service   system , classifies
  access request **received from user terminal as persistent or**
  non-persistent request, based on service class assigned to user terminal
Patent Assignee: HEWLETT-PACKARD CO (HEWP)
Inventor: MOSBERGER D; SALEHI J D
Number of Countries: 001 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
US 6438597	B1	20020820	US 98135160	A	19980817	200275	B

Priority Applications (No Type Date): US 98135160 A 19980817
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
US 6438597	B1		14	G06F-015/16	

Abstract (Basic): US 6438597 B1
      NOVELTY - A **request   classifier** (101) **classifies** an access
  request received from a user terminal as persistent or non-persistent
  connection request, based on a service class assigned to the user
  terminal. Two processors (102,103) switch the connection established
  for the **classified** ·request , after the **request** is processed by a
  data   service   system .
      DETAILED DESCRIPTION - An INDEPENDENT CLAIM is included for
  connection management method of **data   service   system** .
      USE - For managing persistent and non-persistent connection
  requests of **data   service   system** e.g Internet, intranet service
  provider providing services including news, web, advertisement,
  e-commerce and e-mail to users.
      ADVANTAGE - The connection management system prevents the **data**
  service   system from overloaded with persistent connections, by
  limiting the maximum number of persistent connections permitted in the
  data   service   system . Hence, the throughput and **response** time of
  the **data   service   system** are improved.
      DESCRIPTION OF DRAWING(S) - The figure shows the **data   service**
  system .
      Request   classifier (101)
      Processors (102,103)
   · pp; 14 DwgNo 3/6
Title Terms: CONNECT; MANAGEMENT; SYSTEM; **DATA** ; SERVICE; SYSTEM; CLASSIFY
 ; ACCESS; REQUEST; RECEIVE; USER; TERMINAL; PERSISTENT; NON; PERSISTENT;
  REQUEST; BASED; SERVICE; CLASS; ASSIGN; USER; TERMINAL
Derwent Class: T01
International Patent Class (Main): G06F-015/16
File Segment: EPI

13/5/2   (Item 2 from file: 350)

014521762   **Image available**
WPI Acc No: 2002-342465/200238
XRPX Acc No: N02-269328

Data service system **for e-commerce, analyzes client request to generate tag that is attached for subsequent requests from same requested client**
Patent Assignee: HEWLETT-PACKARD CO (HEWP)
Inventor: BHOJ P N; RAMANATHAN S; ZARA A M
Number of Countries: 026 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
EP 1193596	A2	20020403	EP 2001122210	A	20010917	200238	B

Priority Applications (No Type Date): US 2000666910 A 20000921
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
EP 1193596	A2	E	12	G06F-009/50	

Designated States (Regional): AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI TR

Abstract (Basic): EP 1193596 A2
 NOVELTY - A request processor (32) in a server system schedules external **requests** to be serviced based on **classification** contained in a tag of each of the requests. A client request is analyzed by stored **business rules** and based on the analysis, a tag is attached to the **response** that is attached to subsequent requests from the same requested client.
 DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for access **request classification** method.
 USE - For **classifying** and handling user **requests** in Internet used for WWW, e-mail, news, advertisement and FTP services such as e-commerce services, etc.
 ADVANTAGE - Allows subsequent requests from the requesting client for the same transaction not to require further **classification** . Allows **requests** to be **classified** based on the nature of their respective transactions.
 DESCRIPTION OF DRAWING(S) - The figure shows a structure of a multi-tier **data service system** .
 Request processor (32)
 pp; 12 DwgNo 2/4
Title Terms: **DATA** ; SERVICE; SYSTEM; ANALYSE; CLIENT; REQUEST; GENERATE; TAG; ATTACH; SUBSEQUENT; REQUEST; REQUEST; CLIENT
Derwent Class: T01
International Patent Class (Main): G06F-009/50
File Segment: EPI

 13/5/3   (Item 3 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2005 Thomson Derwent. All rts. reserv.

014284364   **Image available**
WPI Acc No: 2002-105065/200214
Related WPI Acc No: 2000-302114
XRPX Acc No: N02-078103
 Data service system **for** classifying **access** requests , **in which** request classifier , **buffers, and rejecter are part of and reside within** data service system
Patent Assignee: HEWLETT-PACKARD CO (HEWP)
Inventor: BHATTI N T; FRIEDRICH R J; JIN T; ZARA A M
Number of Countries: 001 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week

US 6304906   B1 20011016 US 98130636   A   19980806 200214 B

Priority Applications (No Type Date): US 98130636 A 19980806
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
US 6304906   B1   11 G06F-015/16

Abstract (Basic): US 6304906 B1
      NOVELTY - The system comprises a **request classifier** that
   classifies each of the access **requests** into classes based on a
   predetermined **classification** policy; buffers outside the **request**
   classifier ; and a rejecter outside the **request classifier** . Wherein
   the **request classifier** , the buffers, and the rejecter are part of
   and reside within the **data service system** .
      USE - For data access network systems. More particularly for a
   system and method of allowing a **data service system** within a data
   access network system to **classify** user access **requests** .
      ADVANTAGE - It provides different treatments to the users of the
   data service system . It allows a **data service system** to
   control when an access request will be accepted for processing or
   rejected by the **data service system** . It allows a **data service**
    system to prioritize access requests into classes such that
   preferential treatments can be given to some of the users accessing the
   data service system . It provides a class-based service server.
      DESCRIPTION OF DRAWING(S) - The drawing illustrates a logical
   structure of the access **request classification** systems.
      pp; 11 DwgNo 5/5
Title Terms: DATA; SERVICE; SYSTEM; CLASSIFY; ACCESS; REQUEST; REQUEST;
  CLASSIFY; BUFFER; PART; DATA; SERVICE; SYSTEM
Derwent Class: T01; W01
International Patent Class (Main): G06F-015/16
International Patent Class (Additional): H04L-012/28
File Segment: EPI

```
Set      Items    Description
S1           1    AU=(BHOJ P? OR BHOJ, P?)
S2      897002    CLASSIF? OR GROUP? OR CATEGOR?
S3        1746    BUSINESS()RULE? ?
S4      797110    DATA OR INFORMATION OR INFO
S5     1684784    REQUEST?
S6      451597    RESPONSE? ? OR RESPOND?
S7          64    DATA()SERVICE()SYSTEM
S8        5451    S2(5N)S5
S9           4    S8(S)S7
S10          2    S7(S)S3
S11         35    S8(S)S3
S12         37    S9:S11
S13         35    S12 AND IC=G06F?
```

File 348:EUROPEAN PATENTS 1978-2005/Feb W04
        (c) 2005 European Patent Office
File 349:PCT FULLTEXT 1979-2002/UB=20050303,UT=20050224
        (c) 2005 WIPO/Univentio

01411619
Intelligently classifying **and handling user** requests **in a** data
    service   system
**Intelligente Klassifizierung und Behandlung von Benutzeranforderungen in
    einem Datendienstsystem**
**Classification et traitement intelligents de requetes d'utilisateurs dans
    un systeme de service de donnees**
PATENT ASSIGNEE:
  Hewlett-Packard Company, A Delaware Corporation, (3016020), 3000 Hanover
    Street, Palo Alto, CA 94304, (US), (Applicant designated States: all)
INVENTOR:
  Zara, Anna Maria, 4 East Creel Pl., Menlo Park, CA 94025, (US)
  Ramanathan, Srinivas, 63 Fourt Street, Abirampuram, Chennai-600018, (IN)
  Bhoj, Preeti N., 10690 Castine Ave., Cupertino, CA 95014, (US)
LEGAL REPRESENTATIVE:
  Schoppe, Fritz, Dipl.-Ing. (55464), Patentanwalte Schoppe, Zimmermann,
    Stockeler & Zinkler, Postfach 71 08 67, 81458 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 1193596 A2 020403 (Basic)
APPLICATION (CC, No, Date):   EP 2001122210 010917;
PRIORITY (CC, No, Date): US 666910 000921
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
  LU; MC; NL; PT; SE; TR
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: **G06F-009/50**
ABSTRACT WORD COUNT: 180
NOTE:
  Figure number on first page: 2

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200214	674
SPEC A	(English)	200214	4902
Total word count - document A			5576
Total word count - document B			0
Total word count - documents A + B			5576

Intelligently classifying **and handling user** requests **in a** data
    service   system
INTERNATIONAL PATENT CLASS: **G06F-009/50**

...ABSTRACT A2
  A **data service system** includes a server system. The server system
  includes a request processor that schedules external requests...

...provides response to the request to the server system. The application
  system also includes a **business rule** engine that stores **business
  rules** regarding classification for various transactions. The **business
  rule** engine also uses the **business rules** to analyze the response to
  the request. A tag generator is provided in the application system that
  generates the tag based on the analysis of the **business rule** engine.
  The tag is then attached to the response by the server system and sent...

...such that the tag is attached to subsequent requests from the requesting
  client to the **data service system** . A method of intelligently
  classifying requests is also described.

to re-check the **classification** for each subsequent **request** .
    At the step 60, the tag generator 36 updates the tag based on the re...

...CLAIMS the request;
    a tag generator that generates the tag based on the analysis of the
        business   rule engine, wherein the tag is attached to the response
        by the server system and sent...

...such that the tag is attached to subsequent requests from the requesting
        client to the **data   service   system** .
    2. The **data   service   system** of claim 1, wherein the tag generator
        causes the **business   rule** engine to analyze the response with the
        business   rules stored in the **business   rule** engine to determine
        classification of the transaction such that subsequent requests that
        are part of the same transaction do not need to be classified again.
    3. The **data   service   system** of claim 2, wherein the tag generator
        causes the **business   rule** engine to re-applies the **business
        rules** to responses for the subsequent requests to determine if
        reclassification is needed for the subsequent...

...system, a domain name server system, and a local service server system.
    9. In a **data   service   system** having an application system coupled to
        a server system, a method of **classifying** access **requests** ,
        comprising:
    storing **business   rules** regarding **classification** of various
        transactions in a **business   rule** engine;
    receiving an access request in the application system from the server
        system, wherein the...

13/3,K/2   (Item 1 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

01146413   **Image available**
HOSPITALITY MANAGEMENT SYSTEM AND METHODS
SYSTEME ET PROCEDES DE GESTION D'ACCUEIL
Patent Applicant/Assignee:
  GRUPO POSADAS, Grupo Posadas, S.A. de C.V., Reforma (Lomas) 155, PH,
    Mexico City, 11000, MX, US (Residence), US (Nationality)
Inventor(s):
  BARRERA Javier, *, **,
  AZCARRAGA Jose Carlos, *, **,
Legal Representative:
  GENOVA John M (et al) (agent), White & Case LLP, 1155 Avenue of the
    Americas, New York, NY 10036, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200468306 A2 20040812 (WO 0468306)
  Application: WO 2004US2095 20040126 (PCT/WO US04002095)
  Priority Application: US 2003442198 20030124; US 2004765245 20040126
Designated States:
(All protection types applied unless otherwise stated - for applications
2004+)
  AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM
  DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC
  LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO
  RU SC SD SE SG SK SL SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW
  (EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL PT RO SE
  SI SK TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG

(AP) BW GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 14123

Main International Patent Class: **G06F**
Fulltext Availability:
  Detailed Description

Detailed Description
... proposed pricing.

  [0060] The sales force automation module 330 (Figure 3) is comprised of
  underlying **business** **rules** for processing and managing the reservation
  or booking steps for groups. Examples of such **business** **rules** may
  include follow-up dates, alternative dates
  15
  for a particular booking based on a...

  ...includes "loose-it" recommendations, which is a minimum rate that can be
  offered to the **groups** based on their **request** for rooms or facilities.
  For example, if 1 00 rooms were requested at $100 each...

 13/3,K/3   (Item 2 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

01051319   **Image available**
METHOD, SYSTEM, AND PROGRAM FOR AN IMPROVED ENTERPRISE SPATIAL SYSTEM
PROCEDE, SYSTEME ET LOGICIEL POUR UN SYSTEME SPATIAL AMELIORE D'ENTREPRISE
Patent Applicant/Assignee:
  QUESTERRA LLC, 210 Ridge-Mcintire Road, Suite 500, Charlottesville, VA
    22903, US, US (Residence), US (Nationality)
Inventor(s):
  DYRNAES David N, 168 Lessay, Newport Coast, CA 92657, US,
  VON KAENEL Tim A, 12 Lakeview Drive, Coto de Caza, CA 92679, US,
  GOODWIN Jonathan D, 30826 Calle Barbosa, Laguna Niguel, CA 92677, US,
  WAYMAN Jared P, 29422 Vista Plaza Drive, Laguna Niguel, CA 92677, US,
  KUMAR C Suresh, 6 Blue Spruce Drive, Ladera Ranch, CA 92694, US,
  TRIVELPIECE Craig E, 124-B 46TH sTREET, Newport Beach, CA 92663, US,
  MIHALICH Joseph, 51 Tradition Lane, Rancho Santa Margarita, CA 92688, US,

  JENKINS Anthony P, 2 Heartwood Way, Aliso Viejo, CA 92656, US,
  STIER Mark A, 28341 La Bajada Laguna, Niguel, CA 92677, US,
  ODOM Richard H Jr, 2303 Whippoorwill Road, Charlottesville, VA 22901, US,

Legal Representative:
  MEADWESTVACO CORPORATION (agent), Charleston Technical Center - Law
    Dept., P.O. Box 118005, Charleston, SC 29423-8005, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200381388 A2-A3 20031002 (WO 0381388)
  Application: WO 2003US8296 20030317   (PCT/WO US03008296)
  Priority Application: US 2002364807 20020316
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ
  EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR
  LS LT LU LV MA MD MG MK MN MW MX MZ NI NO NZ OM PH PL PT RO RU SC SD SE

SG SK SL TJ TM TN TR TT TZ UA UG UZ VC VN YU ZA ZM ZW
(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL PT RO SE
SI SK TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 108397

Main International Patent Class: **G06F-017/30**
Fulltext Availability:
  Detailed Description

Detailed Description
... spatial editor also supports handing off data to a third party system
  for application of **business   rules** and logic to editing requests.

  [02511 FIG. 29 illustrates an editing example in accordance with...
  performed in the third party system. For example, the third party system
  performs any desired **business   rule** checks and validations on the
  received command, infon-nation, and editable data elements. The third...
  association in a new table called the project ACL table 3478.

  [02831 Whenever client software **requests** access to a project, the
  server system first makes a check to determine whether the...

 13/3,K/4   (Item 3 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

01020755   **Image available**
**METHOD AND APPARATUS FOR MONITORING ACTIVITY AND PRESENCE TO OPTIMIZE
   COLLABORATIVE ISSUE RESOLUTION**
**PROCEDE ET APPAREIL PERMETTANT DE SURVEILLER L'ACTIVITE ET LA PRESENCE DE
   MANIERE A OPTIMISER LA RESOLUTION DE PROBLEMES DE COLLABORATION**
Patent Applicant/Assignee:
  EPEOPLE INC, 425 National Avenue, Mountain View, CA 94043, US, US
    (Residence), US (Nationality)
Inventor(s):
  XU Ziqiang, 250 Del Medio Avenue, Mountain View, CA 94040, US,
  YU Dean, 855 Park Drive No. 7, Mountain View, CA 94040, US,
  KELLEY Michael W, 12278 Beauchamps Lane, Saratoga, CA 95070, US,
Legal Representative:
  O'DOWD Shawn W (et al) (agent), Kenyon & Kenyon, 1500 K Street, N.W.,
    Suite 700, Washington, DC 20005, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200350675 A1 20030619 (WO 0350675)
  Application: WO 2002US37747 20021126 (PCT/WO US0237747)
  Priority Application: US 2001340326 20011212; US 200125373 20011217
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ
  EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR
  LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SC SD SE SG
  SI SK SL TJ TM TN TR TT TZ UA UG UZ VC VN YU ZA ZM ZW
  (EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LU MC NL PT SE SK TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG

(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 7463

Main International Patent Class: **G06F-009/00**
Fulltext Availability:
  Detailed Description

Detailed Description
... computer, who is responsible for managing support quality, cost, and
  similar support business goals.

  Different **business rules** may be configured depending on **request
  classification** , user identification, time, day, etc.

  [049] Referring to Fig. 10a, a sample screen for editing...

 13/3,K/5   (Item 4 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

01002214   **Image available**
PERFORMANCE ENHANCING PROXY FOR HIGH LATENCY DATA
**SERVEUR MANDATAIRE D'AMELIORATION DE PERFORMANCES POUR DES LIAISONS DE
   DONNEES A TEMPS D'ATTENTE IMPORTANTS**
Patent Applicant/Assignee:
  WILDBLUE COMMUNICATIONS INC, 7600 E. Orchard, Suite 360N, Englewood, CO
    80111, US, US (Residence), US (Nationality)
Inventor(s):
  WEAVER Jeffrey Charles, 8057 S. Leyden Street, Englewood, CO 80112, US,
  SUNDELIN Andrew Wilson, 1405 S. Gaylord Street, Denver, CO 80210, US,
  MOORE Thomas Evans, 10 Lynn Road, Englewood, CO 80110, US,
Legal Representative:
  STACY Wayne O (agent), Cooley Godward LLP, Patent Group, 11951 Freedom
    Drive, One Freedom Square-Reston Town Center, Reston, VA 20190-5601, US
    ,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200332201 A1 20030417 (WO 0332201)
  Application: WO 2002US31907 20021007 (PCT/WO US0231907)
  Priority Application: US 2001974665 20011009; US 2001974664 20011009
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ
  EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR
  LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI
  SK SL TJ TM TN TR TT TZ UA UG UZ VN YU ZA ZM ZW
  (EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LU MC NL PT SE SK TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 5830

Main International Patent Class: **G06F-017/30**
Fulltext Availability:
  Detailed Description

Detailed Description
... without any changes to the origin server or browser. This means that a
variety of **business rules** can be applied by the gateway ...track
popular content and mulitcast content responses for these URLs.
Alternatively, subscribers could indicate interest **groups** and when
requests are made for content in those interest groups, the responses
are mulitcast to the group...

13/3,K/6 (Item 5 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

01002213 **Image available**
**SYSTEM AND METHOD FOR MANAGING AN EXCHANGE BETWEEN A GATEWAY SERVER AND A
CLIENT-SIDE MODULE**
**SYSTEME ET PROCEDE POUR GERER UN ECHANGE ENTRE UN SERVEUR PASSERELLE ET UN
MODULE COTE CLIENT**
Patent Applicant/Assignee:
  WILDBLUE COMMUNICATIONS INC, Suite 360N, 7600 E. Orchard, Englewood, CO
    80111, US, US (Residence), US (Nationality)
Inventor(s):
  WEAVER Jeffrey Charles, 8057 S. Leyden Street, Englewood, CO 80112, US,
  SUNDELIN Andrew Wilson, 1405 S. Gaylord Street, Denver, CO 80210, US,
  MOORE Thomas Evans, 10 Lynn Road, Englewood, CO 80110, US,
Legal Representative:
  STACY Wayne O (agent), Cooley Godward LLP, Attn: Patent Group, One
    Freedom Square, Reston Town Center, 11951 Freedom Drive, Reston, VA
    20190-5601, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200332200 A1 20030417 (WO 0332200)
  Application: WO 2002US31906 20021007 (PCT/WO US0231906)
  Priority Application: US 2001974665 20011009; US 2001974664 20011009
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ
  EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR
  LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI
  SK SL TJ TM TN TR TT TZ UA UG UZ VN YU ZA ZM ZW
  (EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LU MC NL PT SE SK TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 5804

Main International Patent Class: **G06F-017/30**
Fulltext Availability:
  Detailed Description

Detailed Description
... without any changes to the origin server or browser. This means that
  a variety of **business rules** can be applied by the gateway PEP to
  determine whether to mulitcast or unicast responses...
...track popular content and mulitcast content responses for these URLs.
  Alternatively, subscribers could indicate interest **groups** and when
  requests are made for content in those interest groups, the responses

are mulitcast to the **group** , not just unicast to the **requestor** . The advantage of this approach is that the same amount of bandwidth can be I ...

13/3,K/7   (Item 6 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00998860   **Image available**
INTELLIGENT SERVICE MANAGEMENT SYSTEM
SYSTEME INTELLIGENT DE GESTION DE SERVICES
Patent Applicant/Assignee:
  WISOR TELECOM, Suite 200, 300 Professional Drive, Gaithersburg, MD 20879,
    US, US (Residence), US (Nationality)
Inventor(s):
  CURTIS David C, 2452 Shadywood Circle, Crofton, MD 21114, US,
  SELWOOD Christopher J, 4515 Sangamore Road, Bethesda, MD 20816, US,
Legal Representative:
  ROBERTS Jon L (et al) (agent), Roberts, Abokhair & Mardula, LLC, Suite
    1000, 11800 Sunrise Valley Drive, Reston, VA 20191, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200328347 A2-A3 20030403 (WO 0328347)
  Application: WO 2002US30676 20020926 (PCT/WO US0230676)
  Priority Application: US 2001324887 20010926
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ
  EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR
  LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI
  SK SL TJ TM TN TR TT TZ UA UG UZ VN YU ZA ZM ZW
  (EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LU MC NL PT SE SK TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 10037

...International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... provisioning management process 733. Requests are issued using
  interconnection rules 736, including trading partner interconnection
  business   rules in database 737. Work group activities in work group
  activities list 734 are typically for in-house service **groups** while
  interconnection **requests** are typically issued to trading partners
  (transmitted via enterprise bus/request broker 750).
  [88] Enterprise...

13/3,K/8   (Item 7 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00987457   **Image available**
METHOD AND APPARATUS FOR PROCESSING USER REQUESTS

Bode Akintola   09-Mar-05   EIC 3600

PROCEDE ET APPAREIL DE TRAITEMENT DE DEMANDES UTILISATEURS
Patent Applicant/Assignee:
  ePEOPLE INC, 425 National Avenue, Mountain View, CA 94043, US, US
    (Residence), US (Nationality)
Inventor(s):
  CHAN Kwok Hung, 1225 Vicente Drive, Sunnyvale, CA 94086, US,
  HORWICH Josh, 676 Bellflower, No. 28, Sunnyvale, CA 94086, US,
Legal Representative:
  O'DOWD Shawn W (et al) (agent), Kenyon & Kenyon, Suite 600, 333 West San
    Carlos Street, San Jose, CA 95110, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200317173 A1 20030227 (WO 0317173)
  Application: WO 2002US26134 20020816 (PCT/WO US0226134)
  Priority Application: US 2001313163 20010817; US 200147729 20011025
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ
  EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR
  LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI
  SK SL TJ TM TN TR TT TZ UA UG UZ VN YU ZA ZM ZW
  (EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LU MC NL PT SE SK TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 6627

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... provider can also specify a service network 145. A service network is
  a collection of **business   rules** that specify service **request
  categories** , matching rules, etc. For
  8
  information purposes, a summary 147 of previously entered service
  contracts...
...the entry of contract terms is shown. In block 15 1, an example of a
  request   classification is given. In this embodiment, the **request
  classification** includes three **category** levels that describe the
  subject matter of the service **request** . In this example, the **category**
  levels include "web browser" and a specific example of one "Microsoft
  Internet Explorer." The **request   classification** can also be

 13/3,K/9   (Item 8 from file: 349) ·
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00982518   **Image available**
SYSTEM AND METHOD FOR MANAGING REQUESTS FOR MEDICAL TRANSPORTATION
SYSTEME ET PROCEDE PERMETTANT DE GERER DES DEMANDES DE TRANSPORT MEDICAL
Patent Applicant/Assignee:
  AMERICAN MEDICAL RESPONSE, 2821 South Parker Road, 11th Floor, Aurora, CO
    80014, US, US (Residence), US (Nationality), (For all designated states
    except: US)
Patent Applicant/Inventor:

KALEVIK Mark, 22320 E. Dorado Avenue, Aurora, CO 80015, US, US
    (Residence), US (Nationality), (Designated only for: US)
COOGAN Tom, 562 E. 133rd Ct., Thornton, CO 80241, US, US (Residence), US
    (Nationality), (Designated only for: US)
JACKSON Denis, 2031 Windward Point, Discovery Bay, CA 94514, US, US
    (Residence), US (Nationality), (Designated only for: US)
LELAND Glenn, 1959 Tenderfoot Drive, Larkspur, CO 80118, US, US
    (Residence), US (Nationality), (Designated only for: US)
MURPHY Steve, 9168 S. Cedar Hill Way, Littleton, CO 80124, US, US
    (Residence), US (Nationality), (Designated only for: US)
RECTOR Mark, 10207 Hexton Ct., Littleton, CO 80124, US, US (Residence),
    US (Nationality), (Designated only for: US)
WILJANEN Kathy, P.O. Box 500130, Marathon, FL 33050-0130, US, US
    (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
  COSLICK Ronald (agent), 2029 Century Park East, 35th Floor, Los Angeles,
    CA 90067, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200312596 A2-A3 20030213 (WO 0312596)
  Application: WO 2002US24473 20020802   (PCT/WO US0224473)
  Priority Application: US 2001309534 20010802
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ
  EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR
  LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI
  SK SL TJ TM TN TR TT TZ UA UG US UZ VN YU ZA ZM ZW
  (EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LU MC NL PT SE SK TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 17617
Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
...   Scheduled, or Repatriation. Response time and response interval
  24
  are determined through the application of **business   rules**
  representing the contract provisions applicable to the **requested**
  transportation.

  [oolosi The transaction **classification** is a contractually defined
  classification of the transportation that indicates responsibility for
  the cost of...

...manner in which that cost is assessed. The transaction classification is
  determined in accordance with **business   rules** representing the
  relevant contractual provisions.

  [oologi The service level determination in accordance with the MTA...
  level determination module user interface of Figure 9.
  [ooll6i The MTA also determines a transaction **classification** for the
   requested transportation. The transaction **classification** represents a
  determination of responsibility for payment of the cost of the requested
  transportation and is made using **business   rules** that encode the
  contractual obligations among the patient, the patient's insurer, and in

some...an appropriate level of service, response time and response interval; determination of an original transaction **classification** for a transportation **request** ; determination of the caller's authorization to change a service level or response time previously...

...changed; and, determination of appropriate transportation providers for the requested transportation in accordance with applicable **business rules** .

[00149i As illustrated in Figure 3, the MTA 3-1 1 utilizes a rules engine ...transaction classification based on the service level that is determined by the system for the **requested** transportation. The original transaction **classification** is a determination of responsibility for the cost of transportation, which may in some instances...of the transportation, and therefore the determination is made through the application of transaction classification **business rules** to information describing the transportation. The information to which the transaction classification rules are applied...condition, call center agent, client MD request, client RN request, client request, and no change **requested** .

[001851 MTA Final Transaction **Classification** Determination
[00186i The MTA is invoked automatically to determine a final transaction classification (i.e...

...governed by contractual provisions and therefore the final transaction classification determination is made by applying **business rules** representing the governing contractual provisions to relevant information. Figure 23 shows an excerpt of a...

13/3,K/10   (Item 9 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00963611   **Image available**
EXTENDED WEB ENABLED MULTI-FEATURED BUSINESS TO BUSINESS COMPUTER SYSTEM FOR RENTAL VEHICLE SERVICES
SYSTEME INFORMATIQUE INTERENTREPRISES A ELEMENTS MULTIPLES A ACCES INTERNET POUR SERVICES DE LOCATION DE VEHICULES
Patent Applicant/Assignee:
  THE CRAWFORD GROUP INC, 600 Corporate Park Drive, St. Louis, MO 63105, US , US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
  WEINSTOCK Timothy Robert, 1845 Highcrest Drive, St. Charles, MO 63303, US , US (Residence), US (Nationality), (Designated only for: US)
  DE VALLANCE Kimberly Ann, 2037 Silent Spring Drive, Maryland Heights, MO 63043, US, US (Residence), US (Nationality), (Designated only for: US)
  HASELHORST Randall Allan, 1016 Scenic Oats Court, Imperial, MO 63052, US, US (Residence), US (Nationality), (Designated only for: US)
  KENNEDY Craig Stephen, 9129 Meadowglen Lane, St. Louis, MO 63126, US, US (Residence), US (Nationality), (Designated only for: US)
  SMITH David Gary, 10 Venice Place Court, Wildwood, MO 63040, US, US (Residence), US (Nationality), (Designated only for: US)
  TINGLE William T, 17368 Hilltop Ridge Drive, Eureka, MO 63025, US, US (Residence), US (Nationality), (Designated only for: US)
  KLOPFENSTEIN Anita K, 433 Schwarz Road, O'Fallon, IL 62269, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:

HAFERKAMP Richard E (et al) (agent), Howell & Haferkamp, L.C., Suite
    1400, 7733 Forsyth Blvd., St. Louis, MO 63105-1817, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200297700 A2 20021205 (WO 0297700)
  Application: WO 2001US51431 20011019 (PCT/WO US0151431)
  Priority Application: US 2000694050 20001020
Parent Application/Grant:
  Related by Continuation to: US 2000694050 20001020 (CIP)
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ
  EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR
  LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PH PL PT RO RU SD SE SG SI SK
  SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 237932

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... the file updates and before the next data queue entry is read, and
  if the **Group** Type is not @OFN
   -Complete the build of the data queue entry record.

  -From the...automatically generate authorization changes. This program
  will also process previously authorized reservation Rental Location's
  Group -to- **Group** 'AT' transfers.

  @Operational Method.

  This NEP receives the IATBI keyed input data queue entries from...to the
  Dispatch Rental Systems Request (AM006OVI) program. This should cause an
  authorization confirmation (AC) **group** type transaction data sent ·to be
  dispatched for generation and sent.

  in all cases that...

  13/3,K/11   (Item 10 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00939331   **Image available**
SCHEMA-BASED SERVICES FOR IDENTITY-BASED DATA ACCESS
SERVICES A BASE DE SCHEMA POUR ACCES A DES DONNEES A BASE D'IDENTITE
Patent Applicant/Assignee:
  MICROSOFT CORPORATION, One Microsoft Way, Redmond, WA 98052, US, US
    (Residence), US (Nationality)
Inventor(s):
  LUCOVSKY Mark H, 811 Windsor Drive SE, Sammamish, WA 98074, US,
  PIERCE Shaun Douglas, 24515 NE 11th Place, Sammamish, WA 98074, US,
  MOVVA Ramu, 25131 SE 42nd Street, Issaquah, WA 98029, US,
  KALKI Jagadeesh, 2336, 175tth CT NE, Redmond, WA 98052, US,

AUERBACH David Benjamin, Apartment 302, 155 Aloha Street, Seattle, WA 98109, US,
FORD Peter Sewall, 31422 NE 108th Street, Carnation, WA 98014, US,
YUAN Yun-Qi, 2128 179th CT NE, Redmond, WA 98052, US,
GUU Yi-Wen, 14583 NE 58th Street, Bellevue, WA 98007, US,
GEORGE Samuel John, 146 16th Avenue, San Mateo, CA 94402, US,
HOFFMAN William Raymond, 1414 Stannage Avenue, Berkeley, CA 94702, US,
JACOBS Jay Christopher, 5 Woodside Court, Danville, CA 94506, US,
STECKLER Paul Andrew, 2115 187th Avenue NE, Redmond, WA 98052, US,
HSUEH Walter C, 4202 Sophia Way, San Jose, CA 95134, US,
KEIL Kendall D, 19110 33rd Avenue SE, Bothell, WA 98012, US,
GOPAL Burra, 13925 180th Avenue NE, Redmond, WA 98052-1218, US,
WHITE Steven D, 6122 144th PI SE, Bellevue, WA 98006, US,
LEACH Paul J, 1134 Federal Avenue East, Seattle, WA 98102, US,
WARD Richard B, 8565 261st Avenue NE, Redmond, WA 98053-5833, US,
SMOOT Philip Michael, 330 Arlington Street, San Francisco, CA 94131, US,
Legal Representative:
  MICHALIK Albert S (agent), Suite 193, 704-228th Avenue NE, Sammamish, WA 98074, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200273472 A1 20020919 (WO 0273472)
  Application: WO 2002US7953 20020314   (PCT/WO US0207953)
  Priority Application: US 2001275809 20010314; US 200117680 20011022
Designated States:
(Protection type is "patent" unless otherwise stated - for applications prior to 2004)
  AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ
  EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR
  LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI
  SK SL TJ TM TN TR TT TZ UA UG UZ VN YU ZA ZM ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 115907

Main International Patent Class: **G06F-017/30**
Fulltext Availability:
  Detailed Description

Detailed Description
... access to data regarding scheduled events. Other core services include myCategories, to provide a generic **classification** model, myContacts, to manage access to a user's list of contacts, and myDevices, to...in the shape for the computed role.

1 5 When using a shape in a **data** language (e.g., query, insert, replace and so on) operation, a value of t indicates...replaceRequest. Application software can override this ID generation by specifying the useClientlds attribute in the **request** message. Once an ID is assigned, the attribute is read-only and attempts to write...

  13/3,K/12   (Item 11 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00933152   **Image available**
EXTENDED WEB ENABLED MULTI-FEATURED BUSINESS TO BUSINESS COMPUTER SYSTEM

Bode Akintola   09-Mar-05   EIC 3600

FOR RENTAL VEHICLE SERVICES
SYSTEME INFORMATIQUE ETENDU ENTRE ENTREPRISES, A FONCTIONS MULTIPLES, FONCTIONNANT SUR LE WEB, POUR DES SERVICES DE LOCATION DE VEHICULES

Patent Applicant/Assignee:
  THE CRAWFORD GROUP INC, 600 Corporate Park Drive, St. Louis, MO 63105, US
    , US (Residence), US (Nationality), (For all designated states except:
    US)
Patent Applicant/Inventor:
  WEINSTOCK Timothy Robert, 1845 Highcrest Drive, St. Charles, MO 63303, US
    , US (Residence), US (Nationality), (Designated only for: US)
  DE VALLANCE Kimberly Amm, 2037 Silent Spring Drive, Maryland Heights, MO
    63043, US, US (Residence), US (Nationality), (Designated only for: US)
  HASELHORST Randall Allan, 1016 Scenic Oats Court, Imperial, MO 63052, US,
    US (Residence), US (Nationality), (Designated only for: US)
  KENNEDY Craig Stephen, 9129 Meadowglen Lane, St. Louis, MO 63126, US, US
    (Residence), US (Nationality), (Designated only for: US)
  SMITH David Gary, 10 Venice Place Court, Wildwood, MO 63040, US, US
    (Residence), US (Nationality), (Designated only for: US)
  TINGLE William T, 17368 Hilltop Ridge Drive, Eureka, MO 63025, US, US
    (Residence), US (Nationality), (Designated only for: US)
  KLOPFENSTEIN Anita K, 433 Schwarz Road, O'Fallon, IL 62269, US, US
    (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
  HAFERKAMP Richard E (et al) (agent), HOWELL & HAFERKAMP, L.C., Suite
    1400, 7733 Forsyth Blvd., St. Louis, MO 63105-1817, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200267175 A2 20020829 (WO 0267175)
  Application: WO 2001US51437 20011019 (PCT/WO US0151437)
  Priority Application: US 2000694050 20001020
Parent Application/Grant:
  Related by Continuation to: US 2000694050 20001020 (CIP)
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ
  EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR
  LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PH PL PT RO RU SD SE SG SI SK
  SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 243912

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... File
  CB007POO (-RU-) Open Rental Contracts Callbacks control File
  CB032POO (-RU@) RMS Callback Contracts by **Group** /Branch/Ticket
  RACBRMST (-RU-) ECR Branch Reservations Master File
  @Embedded Data/Constants.

  'Rental Extended Until...

13/3,K/13   (Item 12 from file: 349)

00920142   **Image available**
ELECTRONIC MESSAGING SYSTEM AND METHOD THEREOF
SYSTEME DE MESSAGERIE ELECTRONIQUE ET PROCEDE D'UTILISATION
Inventor(s):
  CHEE Chester Y M, 149-58 Ash Avenue, Flushing, NY 11355, US,
  HUANG Jeffrey Y, 146-22 Kalmia Avenue, Flushing, NY 11355, US,
  MILANI Kevin, Apt. 2, 152 President Street, Brooklyn, NY 11231, US,
  TIGHE Patrick, 123 Bank Street, New York, NY 10014, US,
  POHLMAN Marlin, Suite 108, 6 East 22nd Street, Tulsa, OK 74114, US,
Patent Applicant/Inventor:
  TUCCIARONE Joel D, 24 Wellington Court, Brooklyn, NY 11230, US, US
    (Residence), US (Nationality)
Legal Representative:
  LAU Michael N (agent), 7701 Rockledge Court, Springfield, VA 22152, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200254174 A2-A3 20020711 (WO 0254174)
  Application: WO 2001US49502 20011231 (PCT/WO US0149502)
  Priority Application: US 2001750923 20010102
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  CN IN JP
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
Publication Language: English
Filing Language: English
Fulltext Word Count: 16294

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... Matching Engine 1128 looks into the DBMS 1120 for
  advertising/information inventory. Based on the **Business
  Rules** that are stored in the DBMS, the Matching Engine
  matches up commercial information inventory with...

...banner advertisement to the eMessaging GUI
  1102 based upon subscriber/supplier personal profile
  and/or **requested** information **request   categories** .

  The Transaction Server 1118 handles financial
  transactions following the fulfillment of requests by the
  IRA...

13/3,K/14   (Item 13 from file: 349)

00885060   **Image available**
QUOTATION DATA EXCHANGE
ECHANGE DE DONNEES DE PROPOSITION DE PRIX
Patent Applicant/Assignee:
  NRMA INSURANCE LIMITED, 388 George Street, Sydney, NSW 2000, AU, AU
    (Residence), AU (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:

UREN John, 50 Yalding Avenue, North Rocks, NSW 2151, AU, AU (Residence),
   AU (Nationality), (Designated only for: US)
LYONS Brett, 39/392 Jones Street, Ultimo, NSW 2007, AU, AU (Residence),
   AU (Nationality), (Designated only for: US)
Legal Representative:
  F B RICE & CO (agent), 605 Darling Street, Balmain, NSW 2041, AU,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200219179 A1 20020307 (WO 0219179)
  Application: WO 2001AU1078 20010828 (PCT/WO AU0101078)
  Priority Application: AU 20009750 20000829; AU 20013297 20010222
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ
  EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR
  LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PH PL PT RO RU SD SE SG SI SK
  SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 13228

Main International Patent Class: **G06F-017/60**
International Patent Class: **G06F-019/00 ...**

... G06F-151/00
Fulltext Availability:
  Claims

Claim
... 5 types:
  DataContent - The content of an element is not valid according to the
  defined **business   rules** . 9 Miscellaneous - An error that does not
  belong to any of the other types. * Message...be contained in another
  message.
  Tag name L Content Data Req Description
  type Size
  QML,
  , **RequestForQuote** 0 **Group** M
  Version I **Group** M
  DTDVersion 2 Flaq M
  Value 3 Attr 5 M The current version of the...

...2 Char M Contractual text required for
  statutory reasons. This field is not
  length limited.
  RequestType I **Group** M
  Assessed 2 Flag MS The assessed model is to be used
  for this jo...

...Flag MS This quote is for comparison
  purposes only, no repairs are to be
  made
  RequestDetails I **Group** M
  IncidentDateTime 2 Char 14 0 The date and time when the incident
  occurred.
  This...

13/3,K/15   (Item 14 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT

00818648   **Image available**
SYSTEM AND METHOD FOR MANAGING REAL ESTATE TRANSACTIONS
SYSTEME ET PROCEDE DE GESTION DE TRANSACTIONS DE BIENS IMMOBILIERS
Patent Applicant/Assignee:
  HOME LINK SERVICES INC, 1 Reservoir Corporate Centre, Suite 201, Shelton,
    CT 06484, US, US (Residence), US (Nationality)
Inventor(s):
  RAVEIS William M Jr, 1580 Hillside Road, Fairfield, CT 06430, US,
Legal Representative:
  CHACLAS George N (agent), Cummings & Lockwood, 700 State Street, P.O. Box
    1960, New Haven, CT 06590-1960, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200152153 A2 20010719 (WO 0152153)
  Application: WO 2001US1151 20010111   (PCT/WO US0101151)
  Priority Application: US 2000175606 20000111
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE
  ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT
  LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM
  TR TT TZ UA UG UZ VN YU ZA ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 27395

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... the Media Company has received the ad placement package, the confirmed
  date is updated.

  The **business   rules** for advertising placement are as follows. The
  listed
  property is still an active property, i...an ad placement package
  collection is confirmed, it cannot be updated or deleted. The media
  request type, e.g., **Classified** Ad, cannot be modified. Since the
  collection began by **group** on **request** type this cannot be changed for
  a package. When an ad placement package is deleted...

13/3,K/16   (Item 15 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT

00806392
TECHNOLOGY   SHARING   DURING   ASSET   MANAGEMENT   AND   ASSET   TRACKING   IN   A
    NETWORK-BASED SUPPLY CHAIN ENVIRONMENT AND METHOD THEREOF
PARTAGE   TECHNOLOGIQUE   LORS DE LA GESTION ET DU SUIVI DU PARC INFORMATIQUE

DANS UN ENVIRONNEMENT DU TYPE CHAINE D'APPROVISIONNEMENT RESEAUTEE, ET PROCEDE ASSOCIE

Patent Applicant/Assignee:
  ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US
    (Residence), US (Nationality)
Inventor(s):
  MIKURAK Michael G, 108 Englewood Blvd., Hamilton, NJ 08610, US,
Legal Representative:
  HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly, LLP, 38th Floor,
    2029 Century Park East, Los Angeles, CA 90067-3024, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200139086 A2 20010531 (WO 0139086)
  Application: WO 2000US32310 20001122   (PCT/WO US0032310)
  Priority Application: US 99444653 19991122; US 99447623 19991122
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE ES
  FI GB GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA
  MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ
  UA UG UZ VN YU ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 156214

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... a further embodiment of the present invention, the supply of
  manufacturer offerings between manufacturers and **service** providers may
  be coordinated utifiang the network. In such an embodiment, a supply
  chain planning...for custorner network management services is generally
  referred to as Managed Networked Services (MNS). Yankee **Group** estimates
  this market will estimated to grow from $3B to 9B within the next three
  ...to open standards such as the Simple Network Managenient Protocol
  (SNMP) and the Object Managenient **Group** 's (OMG) Conimon Object **Request**
  Broker Architecture (CORBA).

  infonnation Services Manage
  The information services manager provides the data management and...
  resolved on the first call. Other approaches include.

  Functional Model
  In this model, users are **requested** to contact different areas (via VRU)
  depending on the nature of the incident. Calls are...Core" that provide
  enhanced IP based services. The Intelligent IP (12 P) Network enablers
  are **categorized** as follows.

  Session Control (Bandwidth, Switching and Routing)
  Media Control (Call Treatment such as media...to open standards such as
  the Simple Network Managernent Protocol (SNMP) and the Object Managernent
  Group 's (OMG) Cornrnon Object **Request** Broker Architecture (CORBA).

  Information Services Manag

The information services manager provides the data management and...or a
member server for collecting demographic information on customers. These
156
servers contain the **business   rules** defined by the seller, e.g., what
credit cards are accepted and what customer information...

...to be instantiated in the applications. The net result of this approach
is that the **business   rules** (from the
application servers) are embedded into the applications along with the
application logic or...from multiple data sources: static, database,
third party site
Matches content to users via configurable **business   rules**
Allows custom template based publishing
The content channels component of the present invention also provides...

...and. third party sites. Optionally, the content may be inatched to
particular users via configurable **business   rules** .

ADMINISTRATIVE AND FINANCIAL WEB APPLICATION SERVICES
Another embodiment of the present invention is provided for...
applications to people with similar preferences or business needs
Communities can be created by configurable **business   rules**
5 The customer relationship management component of the present
invention, in operation 6702, provides statie...

...legacy databases and inforrnation to personal profile information
Content matching rules are defined by configurable **business   rules**
Uses metadata and **business   rules** to match content to profiles
The customer relationship management component of the present invention
permits...

...based on their profiles is also permitted. Optionally, content matching
rules are defined by configurable **business   rules** . In the alternative,
metadata and **business   rules** match
206
CUSTOMER FEEDBACK AND SURVEYS
Automates creation and administration of online feedback fon-ns...

13/3,K/17   (Item 16 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00784138
**SYSTEM,   METHOD,   AND   ARTICLE   OF   MANUFACTURE   FOR A REQUEST BATCHER ,IN A
    TRANSACTION SERVICES PATTERNS ENVIRONMENT**
**SYSTEME,   PROCEDE   ET   ARTICLE   MANUFACTURE POUR MODULE DE MISE EN LOTS DES
    REQUETES   DANS   UN   ENVIRONNEMENT   CARACTERISE   PAR DES   SERVICES
    TRANSACTIONNELS**
Patent Applicant/Assignee:
  ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US
    (Residence), US (Nationality)
Inventor(s):
  BOWMAN-AMUAH Michel K, 6426 Peak Vista Circle, Colorado Springs, CO 80918
    , US,
Legal Representative:
  HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly, LLP, 1400 Page
    Mills Road, Palo Alto, CA 94304, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200116733 A2-A3 20010308 (WO 0116733)

Application: WO 2000US23885 20000831 (PCT/WO US0023885)
Priority Application: US 99387575 19990831
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CU CZ DE DK DZ EE ES FI GB
  GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK
  MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN
  YU ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 150393

Main International Patent Class: **G06F-009/46**
Fulltext Availability:
  Detailed Description

Detailed Description
... a project team whose members become active and inactive depending on
   their function within the **group** .

   What is the relationship between the workflow and imaging components?
   It may be important to...flow of a business process by requesting
   services in a specific sequence according to specific **business   rules**
   (i.e., conditional statements). The services being requested are
   generally offered by entity-centric Business...

...may create an invoice. The control logic 3702 (i.e., the sequence of
   steps and **business   rules**) associated with the billing process is
   encapsulated within the Billing component itself The Billing component...

...it also triggers Fraud Analysis 3704, a process
   260
   centric Business Component, if a specific **business   rule** is satisfied.
   Note also that "Step 6" is performed within the Billing component itself.
   Perhaps...

 13/3,K/18   (Item 17 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00784137
**SYSTEM,   METHOD,   AND   ARTICLE   OF   MANUFACTURE   FOR   DISTRIBUTED   GARBAGE
    COLLECTION IN ENVIRONMENT SERVICES PATTERNS**
**SYSTEME,   PROCEDE   ET   ARTICLE   DE   FABRICATION   EN MATIERE DE RECUPERATION
    D'ESPACE REPARTI DANS DES MOTIFS DE SERVICES D'ENVIRONNEMENT**
Patent Applicant/Assignee:
  ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US
    (Residence), US (Nationality)
Inventor(s):
  BOWMAN-AMUAH Michel K, 6416 Peak Vista Circle, Colorado Springs, CO 80918
    , US,
Legal Representative:
  HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly, LLP, 1400 Page Mill
    Road, Palo Alto, CA 94304, US,

Patent and Priority Information (Country, Number, Date):
  Patent: WO 200116729 A2-A3 20010308 (WO 0116729)
  Application: WO 2000US24238 20000831 (PCT/WO US0024238)
  Priority Application: US 99386435 19990831
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE
  ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT
  LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM
  TR TT TZ UA UG UZ VN YU ZA ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 150959

Main International Patent Class: **G06F-009/44**
International Patent Class: **G06F-009/46**
Fulltext Availability:
  Detailed Description

Detailed Description
... more explicit, a process-centric Business Component controls the flow
   of a business process by **requesting** services in a specific sequence
   according to specific **business   rules** (i.e., conditional statements).
   The services being requested are generally offered by entity-centric
   Business...

...may create an invoice. The control logic 3702 (i.e., the sequence of
   steps and **business   rules**) associated with the billing process is
   encapsulated within the Billing component itself The Billing component...

...Components, but it also triggers Fraud Analysis 3704, a processscentric
   Business Component, if a specific **business   rule** is satisfied. Note
   also that "Step 6" is perforined within the Billing component itself
   Perhaps...

 13/3,K/19   (Item 18 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00784136
**A SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR BUSINESS LOGIC SERVICES
    PATTERNS IN A NETCENTRIC ENVIRONMENT**
**SYSTEME, PROCEDE ET ARTICLE DE FABRICATION POUR STRUCTURES DE SERVICES DE
    LOGIQUE DE COMMERCE DANS UN ENVIRONNEMENT S'ARTICULANT AUTOUR DE
    L'INTERNET**
Patent Applicant/Assignee:
  ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US
    (Residence), US (Nationality)
Inventor(s):
  BOWMAN-AMUAH Michel K, 6426 Peak Vista Circle, Colorado Springs, CO 80918
    , US,
Legal Representative:
  HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly, LLP, 38th Floor,
    2029 Century Park East, Los Angeles, CA 90067-3024, US,

Patent and Priority Information (Country, Number, Date):
  Patent: WO 200116728 A2-A3 20010308 (WO 0116728)
  Application: WO 2000US24197 20000831 (PCT/WO US0024197)
  Priority Application: US 99387658 19990831
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE
  ES FI GB GD GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU
  LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR
  TT TZ UA UG UZ VN YU ZA ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 150863

Main International Patent Class: **G06F-009/44**
International Patent Class: **G06F-009/46**
Fulltext Availability:
  Detailed Description

Detailed Description
... of the DHTML debate is a specification called the Document Object
  Model DOM The DOM **categorizes** Web page elements--including text,
  images, and links--as objects and specifies the attributes that...

 13/3,K/20   (Item 19 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00784135
**A SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR A LOCALLY ADDRESSABLE
    INTERFACE IN A COMMUNICATION SERVICES PATTERNS ENVIRONMENT**
**SYSTEME, PROCEDE ET ARTICLE DE PRODUCTION METTANT EN OEUVRE UNE INTERFACE
    ADRESSABLE LOCALEMENT DANS UN ENVIRONNEMENT DE CONFIGURATIONS DE
    SERVICES DE COMMUNICATION**
Patent Applicant/Assignee:
  ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US
    (Residence), US (Nationality)
Inventor(s):
  BOWMAN-AMUAH Michel K, 6426 Peak Vista Circle, Colorado Springs, CO 80918
    , US,
Legal Representative:
  HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly, LLP, 38th Floor,
    2029 Century Park East, Los Angeles, CA 09967-3024, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200116727 A2-A3 20010308 (WO 0116727)
  Application: WO 2000US24189 20000831 (PCT/WO US0024189)
  Priority Application: US 99387064 19990831
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GE GH GM
  HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX
  NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN YU ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE

```
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
```
Publication Language: English
Filing Language: English
Fulltext Word Count: 151048

Main International Patent Class: **G06F-009/44**
International Patent Class: **G06F-009/46**
Fulltext Availability:
  Detailed Description

Detailed Description
... group of servers handles requests from all clients located in the USA
  while the other **group** serves **requests** from Canada. When a client
  sends a request to the system, a field in the...is separate, usually
  residing on the server. It is also important to decide whether the
  business logic should be packaged as components in order to maximize
  software re-use and to...

...logic can be stored on the server(s) and executed on the server(s); (2)
  business logic can be stored on the server(s) and executed on the
  client; (3) business...

...often done using an application server. In this type of an envirom-nent,
  although some **business** **rules** such as field validation might still be
  tightly coupled with the presentation logic, the majority...of a business
  process by requesting services in a specific sequence according to
  260
  specific **business** **rules** (i.e., conditional statements). The services
  being requested are generally offered by entity-centric Business...

...may create an invoice. The control logic 3702 (i.e., the sequence of
  steps and **business** **rules**) associated with the billing process is
  encapsulated within the Billing component itself The Billing component...

...Components, but it also triggers Fraud Analysis 3704, a processscentric
  Business Component, if a specific **business** **rule** is satisfied. Note
  also that "Step 6" is performed within the Billing component itself.
  Perhaps...

13/3,K/21·   **(Item 20 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00784134
A SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR A CONSTANT CLASS COMPONENT
    IN A BUSINESS LOGIC SERVICES PATTERNS ENVIRONMENT
SYSTEME, PROCEDE ET ARTICLE MANUFACTURE UN COMPOSANT DE CLASSE DE CONSTANTE
    DANS UN ENVIRONNEMENT DE SCHEMAS DE SERVICES DE LOGIQUE D'AFFAIRES
Patent Applicant/Assignee:
  ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US
    (Residence), US (Nationality)
Inventor(s):
  BOWMAN-AMUAH Michel K, 6426 Peak Vista Circle, Colorado Springs, CO 80918
    , US,
Legal Representative:
  HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly LLP, Suite 3800,
    2029 Century Park East, Los Angeles, CA 90067-3024, US,

Patent and Priority Information (Country, Number, Date):
  Patent: WO 200116726 A2-A3 20010308 (WO 0116726)
  Application: WO 2000US24188 20000831 (PCT/WO US0024188)
  Priority Application: US 99387213 19990831
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
· AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GE GH GM
   HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX
   NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN YU ZW
   (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
   (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
   (AP) GH GM KE LS MW MZ SD SL SZ TG UG ZW
   (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 150446

Main International Patent Class: **G06F-009/44**
Fulltext Availability:
  Detailed Description

Detailed Description
... by examining the various types of business concepts will one discover
   an acceptable way to **classify** Business Components.

   Business concepts come in a wide variety. For example, a product
   represents something...
...of a business process by requesting services in a specific sequence
   according to
   260
   specific **business   rules** (i.e., conditional statements). The services
   being requested are generally offered by entity-centric Business...

...may create an invoice. The control logic 3702 (i.e., the sequence of
   steps and **business   rules**) associated with the billing process is
   encapsulated within the Billing component itself The Billing component
   processscentric Business Component, if a specific **business   rule** is
   satisfied. Note also that "Step 6" is performed within the Billing
   component itself Perhaps...

 13/3,K/22   (Item 21 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00784132
**A SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR A LEGACY WRAPPER IN A
    COMMUNICATION SERVICES PATTERNS ENVIRONMENT**
**SYSTEME, PROCEDE ET DISPOSITIF POUR MODULE D'HABILLAGE EXISTANT DANS UN
    ENVIRONNEMENT DE SCHEMAS DE SERVICES DE COMMUNICATION**
Patent Applicant/Assignee:
  ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US
    (Residence), US (Nationality)
Inventor(s):
  BOWMAN-AMUAH Michel K, 6426 Peak Vista Circle, Colorado Springs, CO 80918
    , US,
Legal Representative:
  HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly, LLP, 1400 Page Mill
    Roadast, Palo Alto, CA 94304, US,

Patent and Priority Information (Country, Number, Date):
  Patent: WO 200116724 A2-A3 20010308 (WO 0116724)
  Application: WO 2000US24084 20000831 (PCT/WO US0024084)
  Priority Application: US 99386834 19990831
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CU CZ DE DK DZ EE ES FI GB
  GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK
  MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN
  YU ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 150947

Main International Patent Class: **G06F-009/44**
International Patent Class: **G06F-009/46**
Fulltext Availability:
  Detailed Description

Detailed Description
... flow of a business process by requesting services in a specific
sequence according to specific **business** **rules** (i.e., conditional
statements). The services being **requested** are generally offered by
entity-centric Business Components, but not always. Sometimes
process-centric Business...

 13/3,K/23   (Item 22 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00784131
**A SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR A MULTI-OBJECT FETCH
    COMPONENT IN AN INFORMATION SERVICES PATTERNS ENVIRONMENT**
**SYSTEME, PROCEDE ET ARTICLE MANUFACTURE POUR COMPOSANT DE RECUPERATION
    MULTI-OBJET DANS UN ENVIRONNEMENT CARACTERISE PAR DES SERVICES
    D'INFORMATIONS**
Patent Applicant/Assignee:
  ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US
    (Residence), US (Nationality)
Inventor(s):
  BOWMAN-AMUAH Michel K, 6426 Peak Vista Circle, Colorado Springs, CO 80918
  , US,
Legal Representative:
  HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly LLP, Suite 3800,
    2029 Century Park East, Los Angeles, CA 90067, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200116723 A2-A3 20010308 (WO 0116723)
  Application: WO 2000US24083 20000831 (PCT/WO US0024083)
  Priority Application: US 99386238 19990831
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AL AM AT AU AZ BA BB BG BR BY CA CH CN CR CU CZ DE DK DM EE ES FI GB GE
  GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK

MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN
YU ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 150940

Main International Patent Class: **G06F-009/44**
International Patent Class: **G06F-009/46**
Fulltext Availability:
  Detailed Description

Detailed Description
... flow of a business process by requesting services in a specific
  sequence according to specific **business rules** (i.e., conditional
  statements). The services being **requested** are generally offered by
  entity-centric Business Components, but not always. Sometimes
  process-centric Business...

13/3,K/24   (Item 23 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00784126
**SYSTEM, METHOD, AND ARTICLE OF MANUFACTURE FOR AN EXCEPTION RESPONSE TABLE
    IN ENVIRONMENT SERVICES PATTERNS**
**SYSTEME, PROCEDE ET ARTICLE DE PRODUCTION DESTINES A UNE TABLE DE REPONSE
    D'EXCEPTION DANS DES CONFIGURATIONS DE SERVICES D'ENVIRONNEMENT**
Patent Applicant/Assignee:
  ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US
    (Residence), US (Nationality)
Inventor(s):
  BOWMAN-AMUAH Michel K, 6426 Peak Vista Circle, Colorado Springs, CO 80918
  , US,
Legal Representative:
  HICKMAN Paul L (et al) (agent), Oppenheimer Wolff & Donnelly LLP, 38th
    Floor, 2029 century Park East, Los Angeles, CA 90067-3024, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200116706 A2-A3 20010308 (WO 0116706)
  Application: WO 2000US24086 20000831 (PCT/WO US0024086)
  Priority Application: US 99387873 19990831
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CU CZ DE DK DZ EE ES FI GB
  GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK
  MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN
  YU ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 150318

Detailed Description
... validator association diagram;
  Figure 131 illustrates a validation rule class diagram;
  Figure 132 illustrates a **rule** validation interaction diagram;
  14
  Figure 133 illustrates a flowchart for a method for assigning a...
  connection establishment delay - time between the connection request and
  a confirm
  being received by the **requester**
  connection establishment failure probability - chance that the connection
  will not be
  established within the maximum...as components.

  245
  Business Logic is the core of any application, providing the expression
  of **business** **rules** and procedures (e.g., the steps and rules that
  govern how a sales order is...

  ...flow of processing within the application.

  Application Logic (b2504)
  Application Logic is the expression of **business** **rules** and procedures
  (e.g., the steps and rules that govern how a sales order is...

  ...requests. The isolation of control logic facilitates change and
  adaptability of the application to changing **business** processing flows.

  Data Abstraction (b2506)
  Information Access Services isolate the Business Logic from the technical
  ...details and complexity of other architecture services (e.g.,
  information services, component services), and other **business** logic for
  that matter.

  It is important to decide whether the business logic will be...

  ...is often done using an application server. In this type of an
  environment, although some **business** **rules** such as field validation
  might still be tightly coupled with the presentation logic, the majority
  ...

  ...is often done using an application server. In this type of an
  environment, although some **business** **rules** such as field validation
  might still be tightly coupled with the presentation logic, the majority
  ...flow of a business process by requesting services in a specific
  sequence according to specific **business** **rules** (i.e., conditional
  statements). The services being requested are generally offered by
  entity-centric Business...

  ...may create an invoice. The control logic 3702 (i.e., the sequence of
  steps and **business** **rules**) associated with the billing process is
  encapsulated within the Billing component itself The Billing component...

  ...Components, but it also triggers Fraud Analysis 3704, a processcentric
  Business Component, if a specific **business** **rule** is satisfied. Note
  also that "Step 6" is performed within the Billing component itself
  Perhaps...

00784125
SYSTEM, METHOD, AND ARTICLE OF MANUFACTURE FOR PIECEMEAL RETRIEVAL IN AN INFORMATION SERVICES PATTERNS ENVIRONMENT
SYSTEME, PROCEDE ET ARTICLE DE FABRICATION DESTINES A LA RECHERCHE FRAGMENTAIRE DANS UN ENVIRONNEMENT DE MODELES DE SERVICES D'INFORMATIONS
Patent Applicant/Assignee:
  ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US
    (Residence), US (Nationality)
Inventor(s):
  BOWMAN-AMUAH Michel K, 6426 Peak Vista Circle, Colorado Springs, CO 80918
  , US,
Legal Representative:
  HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly, LLP, 38th Floor,
    2029 Century Park East, Los Angeles, CA 90067-3024, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200116705 A2-A3 20010308 (WO 0116705)
  Application: WO 2000US24085 20000831 (PCT/WO US0024085)
  Priority Application: US 99386433 19990831
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GE GH GM
  HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX
  NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN YU ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 150355

Main International Patent Class: **G06F-009/44**
Fulltext Availability:
  Detailed Description

Detailed Description
... more explicit, a process-centric Business Component controls the flow
  of a business process by **requesting** services in a specific sequence
  according to specific **business rules** (i.e., conditional statements).
  The services being requested are generally offered by entity-centric
  Business...
...may create an invoice. The control logic 3702 (i.e., the sequence of
  steps and **business rules**) associated with the billing process is
  encapsulated within the Billing component itself The Billing component...

...it also triggers Fraud Analysis 3704, a process
  260
  centric Business Component, if a specific **business rule** is satisfied.
  Note also that "Step 6" is performed within the Billing component itself
  Perhaps...

00784119
A SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR A REFRESHABLE PROXY POOL IN A COMMUNICATION ENVIRONMENT
SYSTEME, PROCEDE ET ARTICLE POUR GROUPE D'ELEMENTS MANDATAIRES (PROXY) RAFRAICHISSABLES DANS UN ENVIRONNEMENT A CONFIGURATIONS DE SERVICES DE COMMUNICATION
Patent Applicant/Assignee:
  ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US
    (Residence), US (Nationality)
Inventor(s):
  BOWMAN-AMUAH Michel K, 6426 Peak Vista Circle, Colorado Springs, CO 80918
    , US,
Legal Representative:
  HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly LLP, 1400 Page Mill
    Road, Palo Alto, CA 94304, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200116668 A2-A3 20010308 (WO 0116668)
  Application: WO 2000US24113 20000831 (PCT/WO US0024113)
  Priority Application: US 99386239 19990831
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE ES
  FI GB GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA
  MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ
  UA UG UZ VN YU ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 149976

Main International Patent Class: **G06F-009/46**
Fulltext Availability:
  Claims

Claim
... flow of a business process by requesting services in a specific
  sequence according to specific **business rules** (i.e., conditional
  statements). The services being **requested** are generally offered by
  entity-centric Business Components, but not always. Sometimes
  process-centric Business...

...may create an invoice. The control logic 3702 (i.e., the sequence of
  steps and **business rules**) associated with the billing process is
  encapsulated within the Billing component itself The Billing component...

...Components, but it also triggers Fraud Analysis 3704, a processcentric
  Business Component, if a specific **business rule** is satisfied. Note
  also that "Step 6" is performed within the Billing component itself
  Perhaps...

00777016
**A SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR MAINTAINING DATA IN AN
E-COMMERCE BASED TECHNICAL ARCHITECTURE**
**SYSTEME, PROCEDE ET ARTICLE MANUFACTURE DE MAINTIEN DES DONNEES DANS UNE
ARCHITECTURE TECHNIQUE DE COMMERCE ELECTRONIQUE**
Patent Applicant/Assignee:
  ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US
    (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
  UNDERWOOD Roy A, 4436 Hearthmoor Court, Long Grove, IL 60047, US, US
    (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
  HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly LLP, 1400 Page Mill
    Road, Palo Alto, CA 94304, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200109751 A2 20010208 (WO 0109751)
  Application: WO 2000US20546 20000728 (PCT/WO US0020546)
  Priority Application: US 99364535 19990730
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CU CZ DE DK DZ EE ES FI GB
  GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK
  MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG US UZ
  VN YU ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 124205

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Claims

Claim
... 431
  Critical Success Factors
  The necessary information to make decision is available during the change
   request 's evaluation. Control **Groups** are formally established for
  each project. The Control Group assigns actionable items with due dates
  ...access is granted only for team members whose business functions
  require it.
  Critical Success Factors
   Business rules governing security access are portion of the present
  description. Company policies are followed.
  Deliverables
  Role...

13/3,K/28   (Item 27 from file: 349)

00777012

A SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR PROVIDING AN INTERFACE BETWEEN A FIRST SERVER AND A SECOND SERVER.

SYSTEME, PROCEDE ET ARTICLE MANUFACTURE DESTINES A UNE ARCHITECTURE DE COMMERCE ELECTRONIQUE BASEE SUR JAVA

Patent Applicant/Assignee:
  ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US
    (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
  UNDERWOOD Roy A, 4436 Hearthmoor Court, Long Grove, IL 60047, US, US
    (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
  HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly, LLP, 38th floor,
    2029 Century Park East, Los Angeles, CA 90067-3024, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200109721 A2-A3 20010208 (WO 0109721)
  Application: WO 2000US20561 20000728 (PCT/WO US0020561)
  Priority Application: US 99364531 19990730
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE
  ES FI GB GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV
  MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT
  TZ UA UG US UZ VN YU ZA ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 126924

Main International Patent Class: **G06F-009/46**
Fulltext Availability:
  Detailed Description

Detailed Description
... client" and 11server" are used to refer to a computer's general role
  as a **requester** of data (the client) or provider of data (the server).
  Under the Web environment, Web...sub-activity may be in a consistent
  state (either completed or rolled back).
   Check that **requested** inforination and conditions are ftilfilled
  before executing logic.

  0 Maintain information shared between the pages...object (held by the
  activity's
  "business object context" object).

  Return. the instance of the **requested** business
  object (held by the activity's "business object
  context" object).

  Remove the instance of...Destination For-Action" table)
  SUBSTITUTE SHEET (RULE 26)
  Determines if this page is part of
   requested activity (as defined in "Page
  OfActivity" table). If page is part of
  activity, returns true...are available for either Visual J++ or
  Visual C++, apply them now.

262
SUBSTITUTE SHEET (**RULE** 26)
Install Service Pack 4.0 for NT
Run install for Service Pack 4
Configure...

13/3,K/29   (Item 28 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00761424
**A SYSTEM, METHOD, AND ARTICLE OF MANUFACTURE FOR PHASE DELIVERY OF
  COMPONENTS OF A SYSTEM REQUIRED FOR IMPLEMENTATION OF TECHNOLOGY**
**SYSTEME, PROCEDE ET ARTICLE MANUFACTURE DESTINES A LA FOURNITURE PAR PHASES
  DE COMPOSANTS D'UN SYSTEME NECESSAIRES A L'APPLICATION D'UNE TECHNIQUE**
Patent Applicant/Assignee:
  ACCENTURE LLP, 100 South Wacker Drive, Chicago, IL 60606, US, US
    (Residence), US (Nationality)
Inventor(s):
  GUHEEN Michael F, 2218 Mar East Street, Tiburon, CA 94920, US,
  MITCHELL James D, 3004 Alma, Manhattan Beach, CA 90266, US,
  BARRESE James J, 757 Pine Avenue, San Jose, CA 95125, US,
Legal Representative:
  BRUESS Steven C (agent), Merchant & Gould P.C., P.O. Box 2903,
    Minneapolis, MN 55402-0903, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200073930 A2 20001207 (WO 0073930)
  Application: WO 2000US14458 20000524 (PCT/WO US0014458)
  Priority Application: US 99321360 19990527
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AE AG AL AM AT AT (utility model) AU AZ BA BB BG BR BY CA CH CN CR CU CZ
  CZ (utility model) DE DE (utility model) DK DK (utility model) DM DZ EE
  EE (utility model) ES FI FI (utility model) GB GD GE GH GM HR HU ID IL IN
  IS JP KE KG KP KR KR (utility model) KZ LC LK LR LS LT LU LV MA MD MG MK
  MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SK (utility model) SL TJ TM
  TR TT TZ UA UG UZ VN YU ZA ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 149456

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... used for supporting other components of the system are selected and
  placed in a third **group** of components in the third area of the
  database. These components are indicia coded on...1.8 transactions.
  Business I echeck server verifies digital signatures,
  processes checks according to the **business   rules** of the bank (e.g. a
  check over $25,000 requires two signatures), returns invalid...business
  selling over the
  Internet. SellerProduct1 allows for the enforcement of trading

Bode Akintola   09-Mar-05   EIC 3600

partner agreements and **business rules** . SellerProductl
provides the capability to create company-specific catalogs
which can be set up to...

...an order management system, and
rapid custornization of a site's business processes through
modifiable **business rules** and presentation templates.

Search capabilities, including hierarchical
menus, parametric searches by attribute, and simple
keyword...accessible by all team members.

Any test model data must be manually entered in the **system** or copied
·from a previously entered test model.

Multiple test models can be accessed or...

13/3,K/30 (Item 29 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00761422
BUSINESS ALLIANCE IDENTIFICATION
SYSTEME, PROCEDE ET ARTICLE DE PRODUCTION POUR L'IDENTIFICATION .D'ALLIANCES
    COMMERCIALES DANS UN CADRE D'ARCHITECTURE RESEAU
Patent Applicant/Assignee:
  ACCENTURE LLP, 100 South Wacker Drive, Chicago, IL 60606, US, US
    (Residence), US (Nationality)
Inventor(s):
  GUHEEN Michael F, 2218 Mar East Street, Tiburon, CA 94920, US,
  MITCHELL James D, 3004 Alma, Manhattan Beach, CA 90266, US,
  BARRESE James J, 757 Pine Avenue, San Jose, CA 95125, US,
Legal Representative:
  BRUESS Steven C (agent), Merchant, Gould, Smith, Edell, Welter & Schmidt,
    P.A., P.O. Box 2903, Minneapolis, MN 55402-0903, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200073928 A2-A3 20001207 (WO 0073928)
  Application: WO 2000US14375 20000524 (PCT/WO US0014375)
  Priority Application: US 99320816 19990527
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AE AG AL AM AT AU AZ BA BB BG BR BY CA CH CN CR CU CZ DE DK DM DZ EE ES
  FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU
  LV MA MD MG MK MN MW MX MZ NO NZ PL ·PT RO RU SD SE SG SI SK SL TJ TM TR
  TT TZ UA UG UZ VN YU ZA ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 149371

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... used for building the components of the system are selected and placed

in a first **group** of components in the first area of the database. These
components are indicia coded on...1.8 transactions. Business I echeck
server verifies digital signatures,
processes checks according to the **business** **rules** of the bank (e.g. a
check over $25,000 requires two signatures), returns invalid...business
selling over the
Internet. SellerProductl allows for the enforcement of trading
partner agreements and **business** **rules** . SellerProduct I
provides the capability to create company-specific catalogs
which can be set up...

...an order management system, and
rapid custornization of a site's business processes through
modifiable **business** **rules** and presentation templates.

Search capabilities, including hierarchical
menus, parametric searches by attribute, and simple
keyword...

13/3,K/31 **(Item 30 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00758815 **Image available**
METHOD OF PROCESSING RESERVATION DEPOSITS
PROCEDE PERMETTANT DE TRAITER DES COUPONS RESERVATION
Patent Applicant/Assignee:
  PASSKEY COM INC, 1400 Hancock St., Quincy, MA 02169, US, US (Residence),
    US (Nationality)
Inventor(s):
  MARTIN Paul G, 50 Whitney Tavern Road, Weston, MA 02493, US
  MATSUDA Bradley Y, 236 Newbury Street, Apartment 42, Boston, MA
    02116-2511, US
Legal Representative:
  MANDELBAUM Howard F, Levine & Mandelbaum, 350 Fifth Avenue #7814, New
    York, NY 10118, US
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200072214 A1 20001130 (WO 0072214)
  Application: WO 2000US14425 20000525 (PCT/WO US0014425)
  Priority Application: US 99135869 19990525
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GE GH GM
  HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO
  NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN YU ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 6637

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... removed from the blocks of rooms available for

assignment to fill future reservations.

Thus, the **group** inventory manager module 17, receives
requests for inventory from multiple classes of possible
attendees, filters available inventory and offers only
inventory that complies with **business rule** constraints in
the database, allocates inventory based on **business rules**
for attendee class, length of stay and number of guests,
imposes and discloses constraints on...

...their agents, upon their transmission to
the central reservation facility.

Upon receipt of a reservation **request** , the **group**
inventory manager module 17 interrogates the room
inventory database in accordance rules stored in the...

...inventory manager
module 17 communicates directly with the inventory
configurator module 21 to apply the **business rules**
governing the reservation of rooms to the attendees for
whom reservations are sought.

In addition...

13/3,K/32   (Item 31 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00554422   **Image available**
**SYSTEM AND METHOD FOR MANAGING ATP DATA IN A DISTRIBUTED SUPPLY CHAIN
    PLANNING ENVIRONMENT**
**GESTION DES DONNEES ATP DANS UN ENVIRONNEMENT DISTRIBUE DE PLANIFICATION DE
    CHAINE D'APPROVISIONNEMENT ET SYSTEME A CET EFFET**
Patent Applicant/Assignee:
  i2 TECHNOLOGIES INC,
Inventor(s):
  KENNEDY Brian M,
  THOMAS Stanton L,
  JOINER Herbert V,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200017795 A1 20000330 (WO 0017795)
  Application: WO 99US21532 19990917   (PCT/WO US9921532)
  Priority Application: US 98100964 19980918
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AE AL AM AT AU AZ BA BB BG BR BY CA CH CN CR CU CZ DE DK EE ES FI GB GD
  GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG
  MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN
  YU ZA ZW GH GM KE LS MW SD SL SZ TZ UG ZW AM AZ BY KG KZ MD RU TJ TM AT
  BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE BF BJ CF CG CI CM GA
  GN GW ML MR NE SN TD TG
Publication Language: English
Fulltext Word Count: 22863

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... may be required to provide appropriate identification and security
information. Client 12 may support default **business   rules** or other
constraints according to a user profile, a customer profile, or other
suitable definitions...

...dates, and any additional parameters such as those discussed above. The
user may also logically **group   request** line-items for shipment
scheduling purposes. Client 12 executes an ATP request submission
function when...

 13/3,K/33   (Item 32 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00484627
INTEGRATED BUSINESS SYSTEM FOR WEB BASED TELECOMMUNICATIONS MANAGEMENT
SYSTEME   D'ECHANGES   COMMERCIAUX   INTEGRES   POUR   LA   GESTION   DE
    TELECOMMUNICATIONS SUR LE WEB
Patent Applicant/Assignee:
  BARRY B Reilly,
  CHODORONEK Mark A,
  DeROSE Eric,
  GONZALES Mark N,
  JAMES Angela R,
  LEVY Lynne,
  TUSA Michael,
Inventor(s):
  BARRY B Reilly,
  CHODORONEK Mark A,
  DeROSE Eric,
  GONZALES Mark N,
  JAMES Angela R,
  LEVY Lynne,
  TUSA Michael,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 9915979 A1 19990401
  Application: WO 98US20170 19980925   (PCT/WO US9820170)
  Priority Application: US 9760655 19970926
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AU BR CA JP MX SG AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
Publication Language: English
Fulltext Word Count: 88075

Main International Patent Class: **G06F-013/00**
Fulltext Availability:
  Detailed Description

Detailed Description
... Figure 11(a)
  depicting the StarWRS reporting options, user
  selection of the report roduct, report **category** ,
  report type, and report @irection, is indicated at
  step 320. Additionally, at step 325, the...According to a
  dimension table based on data within selected BDRs,
  the harvesting process applies **business   rules** to the

data, cleanses the data, transforms the data, creates
load files for DataMarts and...

13/3,K/34   (Item 33 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00483299   **Image available**
**METHOD AND SYSTEM FOR DATABASE APPLICATION SOFTWARE CREATION REQUIRING
    MINIMAL PROGRAMMING**
**PROCEDE ET SYSTEME DE CREATION DE LOGICIEL D'APPLICATION POUR BASE DE
    DONNEES REQUERANT UNE PROGRAMMATION MINIMALE**
Patent Applicant/Assignee:
  TENFOLD CORPORATION,
Inventor(s):
  WALKER Jeffrey L,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 9914651 A2 19990325
  Application: WO 98US19108 19980915   (PCT/WO US9819108)
  Priority Application: US 97932255 19970917
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AU CA AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
Publication Language: English
Fulltext Word Count: 16864

Main International Patent Class: **G06F-009/445**
International Patent Class: **G06F-009/45**
Fulltext Availability:
  Claims

Claim
... functions without presenting information to a user. Additionally, a
  transaction may invoke a variety of **business   rules** that an
  application developer can describe as snippets (Figure 5). A define
  reports step 138...print the report after review, delete it after review,
  send the report to other users, **group** report **requests** together so
  that the user can obtain multiple reports such as their end-of-month
  reports with a single request, and maintain the definition of a report
  group . Additionally, all report **requests** support flexible options such
  as date ranges for the data included in the report. In...

13/3,K/35   (Item 34 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00391508   **Image available**
**AN AUTOMATED COMMUNICATIONS SYSTEM AND METHOD FOR TRANSFERRING INFORMATIONS
    BETWEEN DATABASES IN ORDER TO CONTROL AND PROCESS COMMUNICATIONS**
**SYSTEME ET PROCEDE DE COMMUNICATIONS AUTOMATISES POUR LE TRANSFERT
    D'INFORMATIONS ENTRE DES BASES DE DONNEES A DES FINS DE COMMANDE ET DE
    TRAITEMENT DES COMMUNICATIONS**
Patent Applicant/Assignee:
  INTERMIND CORPORATION,
Inventor(s):
  REED Drummond Shattuck,
  HEYMANN Peter Earnshaw,

MUSHERO Steven Mark,
JONES Kevin Benard,
OBERLANDER Jeffrey Todd,
BANAY Dan,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 9732251 A1 19970904
  Application: WO 97US3205 19970228   (PCT/WO US9703205)
  Priority Application: US 96609115 19960229; US 96722314 19960927
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GE HU IL
  IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT
  RO RU SD SE SG SI SK TJ TM TR TT UA UG UZ VN GH KE LS MW SD SZ UG AM AZ
  BY KG KZ MD RU TJ TM AT BE CH DE DK ES FI FR GB GR IE IT LU MC NL PT SE
  BF BJ CF CG CI CM GA GN ML MR NE SN TD TG
Publication Language: English
Fulltext Word Count: 92326

Main International Patent Class: **G06F-011/00**
International Patent Class: **G06F-11:16** ...

... **G06F-13:00** ...

... **G06F-15:00** ...

... **G06F-15:16** ...

... **G06F-15:30** ...

... **G06F-17:30**
Fulltext Availability:
  Detailed Description

Detailed Description
...   Web browser program conforming to the HTML/HTTP standard can generate
  Uniform Resource Locator (URL) **requests** to retrieve information from
  the provider and consumer programs and databases. A Web browser program
  ...

...program 50. The user can review the text or graphics, manually input a
  new URL **request** into the Web browser's URL input field, chose a
  hypertext link to automatically generate a URL **request** , or complete and
  submit a form. The Web browser ...determines which component objects 901
  should be retrieved. These instructions may incorporate any logic or
  business   rules the provider wishes to employ, using whatever data is
  available to the communications object in...

```
Set      Items    Description
S1           3    AU=(BHOJ P? OR BHOJ, P?)
S2    20100768    CLASSIF? OR GROUP? OR CATEGOR?
S3       48728    BUSINESS()RULE? ?
S4    27979713    DATA OR INFORMATION OR INFO
S5     2929742    REQUEST?
S6     5318413    RESPONSE? ? OR RESPOND?
S7         241    DATA()SERVICE()SYSTEM
S8       43863    S2(5N)S5
S9           0    S7(30N)S8
S10         35    S8(S)S3
S11          0    S7 AND S8
S12          9    S7(S)S5
S13         44    S10 OR S12
S14         26    RD (unique items)
File    9:Business & Industry(R)  Jul/1994-2005/Mar 08
        (c) 2005   The Gale Group
File   15:ABI/Inform(R) 1971-2005/Mar 09
        (c) 2005 ProQuest Info&Learning
File   16:Gale Group PROMT(R) 1990-2005/Mar 09
        (c) 2005 The Gale Group
File 148:Gale Group Trade & Industry DB 1976-2005/Mar 09
        (c)2005 The Gale Group
File 160:Gale Group PROMT(R) 1972-1989
        (c) 1999 The Gale Group
File 275:Gale Group Computer DB(TM) 1983-2005/Mar 09
        (c) 2005 The Gale Group
File 621:Gale Group New Prod.Annou.(R) 1985-2005/Mar 09
        (c) 2005 The Gale Group
File 636:Gale Group Newsletter DB(TM) 1987-2005/Mar 09
        (c) 2005 The Gale Group
File  20:Dialog Global Reporter 1997-2005/Mar 09
        (c) 2005 The Dialog Corp.
File 476:Financial Times Fulltext 1982-2005/Mar 09
        (c) 2005 Financial Times Ltd
File 610:Business Wire 1999-2005/Mar 09
        (c) 2005 Business Wire.
File 613:PR Newswire 1999-2005/Mar 09
        (c) 2005 PR Newswire Association Inc
File 624:McGraw-Hill Publications 1985-2005/Mar 04
        (c) 2005 McGraw-Hill Co. Inc
File 634:San Jose Mercury  Jun 1985-2005/Mar 08
        (c) 2005 San Jose Mercury News
File 810:Business Wire 1986-1999/Feb 28
        (c) 1999 Business Wire
File 813:PR Newswire 1987-1999/Apr 30
        (c) 1999 PR Newswire Association Inc
```

14/3,K/1   (Item 1 from file: 9)
DIALOG(R)File   9:Business & Industry(R)

2070829 Supplier Number: 02070829   (USE FORMAT 7 OR 9 FOR FULLTEXT)
Trading Partners Unite
(Retailers are looking to slash $150 bil from industry's supply chain
  through Web standard for sharing inventory data)
InternetWeek, p 1
February 23, 1998
DOCUMENT TYPE: Journal ISSN: 0746-8121   (United States)
LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 853

     (USE FORMAT 7 OR 9 FOR FULLTEXT)

ABSTRACT:
...support is expected to show up in commercial applications early next
year. CPFR unifies the **business   rules** adhered to by multiple trading
partners, as well as the way sales data is organized...

...Interchange Language, as well as object technologies such as Component
Object Model and Common Object **Request** Broker Architecture. The **group**
also is considering a marriage with the newly approved Extensible Markup
Language, a metadata format...

TEXT:
...support is expected to show up in commercial applications early next
year.

CPFR unifies the **business   rules** adhered to by multiple trading
partners, as well as the way sales data is organized...

...Interchange Language, as well as object technologies such as Component
Object Model and Common Object **Request** Broker Architecture.

The **group** also is considering a marriage with the newly approved
Extensible Markup Language, a metadata format...

14/3,K/2   (Item 1 from file: 15)
DIALOG(R)File   15:ABI/Inform(R)

01817229 04-68220
Emerging architectures for customer channel management
Stack, Greg
Call Center Solutions v17n4 PP: 104-110 Oct 1998
ISSN: 1521-0774 JRNL CODE: TLM
WORD COUNT: 1650

...TEXT: fragmented architecture, customer relationship initiatives often
create conflict between the business and information systems (IS) **groups** .
Seemingly simple business **requests** are, in fact, complex undertakings
because **business   rules** and customer data are scattered in numerous
systems and channels. Because programmers must change and...

14/3,K/3   (Item 2 from file: 15)
DIALOG(R)File   15:ABI/Inform(R)

00701833 93-51054
Comments on Voluntary Compliance Resolution Program (Rev. Proc. 92-89)
Klausman, David L; Nitschke, David F
Tax Executive v45n2 PP: 167-168 Mar/Apr 1993
ISSN: 0040-0025 JRNL CODE: TXE
WORD COUNT: 1636

...TEXT: employees employed among 25 different corporations and makes no election under the separate-line-of- **business** **rule** of section 414(r). Assume, as discussed above, that a CEP examiner makes a routine **request** for one of the **group** 's Form 5500 series returns. Under section 3.03, such a routine request --without any...

14/3,K/4   **(Item 1 from file: 16)**
DIALOG(R)File 16:Gale Group PROMT(R)

09447371   Supplier Number: 83002843 (USE FORMAT 7 FOR FULLTEXT)
WaterCove Networks Unlocks $87 Billion Opportunity With Industry's First Mobile Data Service System; Allows Operators to Rapidly and Profitably Deliver "Always-On" Mobile Data Services on 2.5G and 3G GPRS/UMTS and CDMA Networks.
PR Newswire, pNEM00818022002
Feb 18, 2002
Language: English   Record Type: Fulltext
Document Type: Newswire; Trade
Word Count: 1139

...   users," said Michael Doherty, Senior Analyst, Ovum.
      For more information about the WaterCove Networks Mobile **Data Service** **System** , or to **request** a copy of WaterCove Networks' white paper, visit http://www.watercove.com/.
      About WaterCove Networks...

14/3,K/5   **(Item 2 from file: 16)**
DIALOG(R)File 16:Gale Group PROMT(R)

05483301   Supplier Number: 48308811 (USE FORMAT 7 FOR FULLTEXT)
Trading Partners Unite -- New standard takes guesswork out of supply-chain mgm't
Frook, John Evan
InternetWeek, p1
Feb 23, 1998
Language: English   Record Type: Fulltext
Document Type: Newsletter; Trade
Word Count: 848

...   support is expected to show up in commercial applications early next year.
      CPFR unifies the **business** **rules** adhered to by multiple trading partners, as well as the way sales data is organized...

...Interchange Language, as well as object technologies such as Component Object Model and Common Object **Request** Broker Architecture.
      The **group** also is considering a marriage with the newly approved

Extensible Markup Language, a metadata format...

 14/3,K/6   (Item 3 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2005 The Gale Group. All rts. reserv.

04985779   Supplier Number: 47323912 (USE FORMAT 7 FOR FULLTEXT)
**BEA SYSTEMS ADDS NEW FEATURES TO ITS MIDDLEWARE AND NOW OFFERS CORBA ACCESS
  FROM WINDOWS**
Computergram International, n3147, pN/A
April 24, 1997
Language: English   Record Type: Fulltext
Document Type: Newswire; Trade
Word Count: 535

   (USE FORMAT 7 FOR FULLTEXT)
TEXT:
  ...add-on for connecting Microsoft Corp's Distributed Communications Object
Model, DCOM, and Object Management **Group** 's Common Object **Request** Broker
Architecture - Corba. Desktop Connection provides a bi-directional bridge
 between ActiveX containers and Corba...

  ...solutions which require the ObjectBroker server be made 'ActiveX-aware.'
ObjectBroker object applications, data and **business   rules** can be
incorporated into custom client applications written in Visual Basic,
Visual C++, Java and...

 14/3,K/7   (Item 4 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2005 The Gale Group. All rts. reserv.

04403927   Supplier Number: 46460650 (USE FORMAT 7 FOR FULLTEXT)
SYSTEM SOFTWARE WANTS OBJECT GROUP ENDORSEMENT FOR BUSINESS RULES
Computergram International, n2932, pN/A
June 12, 1996
Language: English   Record Type: Fulltext
Document Type: Newswire; Trade
Word Count: 209

   (USE FORMAT 7 FOR FULLTEXT)
TEXT:
  ...and accounting house System Software Associates Inc is trumpeting its
submission to the Object Management **Group** 's Business Object Facility
Request for Proposals for predefined **business   rules** such as customer,
order and name, and object services that will enable developers to create
 ...

 14/3,K/8   (Item 1 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2005 The Gale Group. All rts. reserv.

15005416   SUPPLIER NUMBER: 91950804   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**Westbridge Technology Answers Industry Call for XML Web Services Security;
  Westbridge XML Message Server (XMS) Debuts Complete Security and
  Monitoring Solution for Web Services.**
PR Newswire, SFTU01424092002
Sept 24, 2002

LANGUAGE: English   RECORD TYPE: Fulltext
WORD COUNT: 558   LINE COUNT: 00057

...   services and policies so that we can manage granular policies based
on our client's **business   rules** ," said Dr. Mark Temple-Raston, Senior
Architect at MphasiS, a leading system integrator.
        "The Westbridge...

 14/3,K/9   (Item 2 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2005 The Gale Group. All rts. reserv.

09167830   SUPPLIER NUMBER: 18961579   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**Software Artistry delivers stand-alone operational change management
   capabilities.**
Business Wire, p12191125
Dec 19, 1996
LANGUAGE: English   RECORD TYPE: Fulltext
WORD COUNT: 596   LINE COUNT: 00057

...   the change management process - Completely manage every step in the
process - Easily create templates to **group   requests** by **category** -
Link changes to specific categories - Automatically manage notifications -
Continuously analyze and evaluate the change process....

 14/3,K/10   (Item 3 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2005 The Gale Group. All rts. reserv.

06456676   SUPPLIER NUMBER: 13784661   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Voluntary Compliance Resolution Program (Rev. Proc. 92-89).
Tax Executive, 45, n2, 167-168
March-April, 1993
ISSN: 0040-0025   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 1870   LINE COUNT: 00153

...   of section 414(r). Assume, as discussed above, that a CEP examiner
makes a routine **request** for one of the **group** 's Form 5500 series
returns. Under section 3.03, such a routine request -- without any...

 14/3,K/11   (Item 1 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2005 The Gale Group. All rts. reserv.

02431633   SUPPLIER NUMBER: 64189722   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**Business Rule Management Facility: System Architect 2001.(Technology
   Information)**
MORIARTY, TERRY
Intelligent Enterprise, 3, 12, 60
August 1, 2000
LANGUAGE: English   RECORD TYPE: Fulltext; Abstract
WORD COUNT: 1281   LINE COUNT: 00108

...   maintenance of the information about which organizations subscribe
to which business rules.
     Conflict Management
     A **business - rule** management environment must be able to discover

conflicts between **business   rules** and track the conflict resolution. To support this requirement in SA, I added the **Business   Rule** Group definition type, which identifies the **business   rules** that have some sort of relationship to one another. I identified two types of **business - rule** groups: conflict and variation. A conflict would threaten the enterprise if unresolved. Variations aren't...

...put the enterprise at risk if they continue to coexist. SA provides, for a conflicting **business - rule   group** , a link to a change **request** so you can track the conflict's resolution.
      Business-Rule Classification
      Several business rule classification...

 14/3,K/12   (Item 2 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2005 The Gale Group. All rts. reserv.

01915017   SUPPLIER NUMBER: 17847622   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**Betting the business on OOP. (using object-oriented programming to develop
    financial applications) (Technology Information)**
McKie, Stewart
DBMS, v8, n13, p84(4)
Dec, 1995
ISSN: 1041-5173   LANGUAGE: English   RECORD TYPE: Fulltext; Abstract
WORD COUNT: 3086   LINE COUNT: 00257

...   not require a separate engine to manage business processes.
    OO is Distributed
    The Object Management **Group** 's (OMG's) Common Object **Request** Broker
Architecture (CORBA) specification emphasizes that objects are expected to
exist in a distributed world...

...for a variety of services, such as instantiating specific objects from
an object repository, applying **business   rules** to a transaction, or
managing resources to maintain transaction throughput.
    To survive in this world...

 14/3,K/13   (Item 3 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2005 The Gale Group. All rts. reserv.

01886991   SUPPLIER NUMBER: 17798913
**Components everywhere.(OLE and CORBA component architectures) (Technology
    Information)**
Halfhill, Tom R.; Salamone, Salvatore
Byte, v21, n1, p97(5)
Jan, 1996
ISSN: 0360-5280   LANGUAGE: English   RECORD TYPE: Abstract

...ABSTRACT: components throughout the enterprise, and allow them to
communicate. The other standard, the Object Management **Group** 's Common
Object **Request** Broker Architecture (CORBA) standard, attacks the same
issues but is more language-independent and operating...

...OLE. Network OLE will add a third tier to the client/server network.
Code containing **business   rules** can be encapsulated into components that
can be located anywhere on the network. CORBA promotes...

14/3,K/14   (Item 1 from file: 636)

05194856   Supplier Number: 83008365   (USE FORMAT 7 FOR FULLTEXT)
**WaterCove Networks unlocks USD87 billion opportunity with industry's first
   mobile data service system; Allows operators to rapidly and profitably
   deliver "Always-On" mobile data services on 2.5G and 3G GPRS/UMTS and
   CDMA Networks.**
M2 Presswire, pNA
Feb 18, 2002
Language: English   Record Type: Fulltext
Document Type: Newswire; Trade
Word Count: 1328

...   users," said Michael Doherty, Senior Analyst, Ovum.
       For more information about the WaterCove Networks Mobile **Data
Service   System** , or to **request** a copy of WaterCove Networks' white
paper, visit www.watercove.com.
       About WaterCove Networks
       WaterCove...

14/3,K/15   (Item 2 from file: 636)

04060208   Supplier Number: 54108677   (USE FORMAT 7 FOR FULLTEXT)
BRIGHTWARE: Brightware ships first comprehensive email management system.
M2 Presswire, pNA
Nov 3, 1998
Language: English   Record Type: Fulltext
Document Type: Newswire; Trade
Word Count: 1334

...   triggered by information contained in initial Email requests (e.g.
order numbers for shipping status **requests**).
       * Email **Classification** and Action - Brightware uses the latest
message understanding technology to classify incoming messages and applies
each company's **business   rules** to take appropriate action. Brightware
offers the only classification engine with live sites currently achieving
...

14/3,K/16   (Item 1 from file: 20)

21304724 (USE FORMAT 7 OR 9 FOR FULLTEXT)
**WaterCove Networks: WaterCove Networks unlocks USD87 billion opportunity
   with industry's first mobile data service system; Allows operators to
   rapidly and profitably deliver "Always On" mobile data services on 2.5G
   and 3G GPRS/UMTS and CDMA Networks**
M2 PRESSWIRE
February 18, 2002
JOURNAL CODE: WMPR   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 1178

  (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   Analyst, Ovum.
     For more information about the WaterCove Networks Mobile Data Service
System, or to **request** a copy of WaterCove Networks' white paper, visit
www.watercove.com.
     About WaterCove Networks
     WaterCove...

 14/3,K/17   **(Item 2 from file: 20)**
DIALOG(R)File   20:Dialog Global Reporter
(c) 2005 The Dialog Corp. All rts. reserv.

19920065   (USE FORMAT 7 OR 9 FOR FULLTEXT)
Autotask Delivers the First Web-Powered Timesheet Management Solution That
 Feels Like a Windows Program
BUSINESS WIRE
November 21, 2001
JOURNAL CODE: WBWE   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 485

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

 ...   include:
     -- Security levels for employees, supervisors and executives
     -- Configurable pay-periods, business rules, and time **categories**
     -- Tracking time-off **requests** , vacations, personal days and sick
     time.
     -- Automated routing & approval of timesheets and time off
     requests...

 14/3,K/18   **(Item 3 from file: 20)**
DIALOG(R)File   20:Dialog Global Reporter
(c) 2005 The Dialog Corp. All rts. reserv.

11375893   (USE FORMAT 7 OR 9 FOR FULLTEXT)
Motive Communications Announces New Product for e-Business Service and
 Support
PR NEWSWIRE
June 06, 2000
JOURNAL CODE: WPRW   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 1247

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

 ...   syndicates service requests according to business rules and
connects users to the correct expert or **group** , regardless of whether the
 request   relates to the exchange itself or requires the aid of an expert
who works for...

 14/3,K/19   **(Item 4 from file: 20)**
DIALOG(R)File   20:Dialog Global Reporter
(c) 2005 The Dialog Corp. All rts. reserv.

08544440   (USE FORMAT 7 OR 9 FOR FULLTEXT)
Do-it-yourself government online
CANBERRA TIMES , CT ed, p14
November 29, 1999

JOURNAL CODE: WCTS   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 506

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   and order processes are simplified by the application's business
rules, which can fit each **request** and approval into specified spending
 categories . olsonb@msn.com.au

   14/3,K/20   (Item 5 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2005 The Dialog Corp. All rts. reserv.

06604907   (USE FORMAT 7 OR 9 FOR FULLTEXT)
**BDO Seidman, LLP, Announces Strategic Alliance with Onyx Software To
    Deliver Customer Relationship Management Solutions**
BUSINESS WIRE
August 09, 1999
JOURNAL CODE: WBWE   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 1107

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   categorizing requests, reassigning issues to other analysts, and
escalation to priority status, based on customizable **business   rules**
     -- Search indexed resolutions and reference documentation for answers
to previously identified solutions, leveraging the knowledge...

   14/3,K/21   (Item 6 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2005 The Dialog Corp. All rts. reserv.

03302977   (USE FORMAT 7 OR 9 FOR FULLTEXT)
Brightware Ships First Comprehensive E-mail Management System
BUSINESS WIRE
November 02, 1998
JOURNAL CODE: WBWE   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 1366

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   uses the latest message understanding technology to classify
incoming messages and applies each company's **business   rules** to take
appropriate action. Brightware offers the only classification engine with
live sites currently achieving...

... 95% accuracy. -- Prepackaged Knowledge Bases - Brightware includes the
new Web Site FAQ Knowledge Base featuring **business   rules** and answer
templates for typical E-mail inquiries found on virtually all Web sites,
including...

   14/3,K/22   (Item 1 from file: 610)
DIALOG(R)File 610:Business Wire
(c) 2005 Business Wire. All rts. reserv.

00624938 20011121325B7890 (USE FORMAT 7 FOR FULLTEXT)
Autotask Delivers the First Web-Powered Timesheet Management Solution That

Feels Like a Windows Program-Breakthrough product for time & attendance rolled out at VersaTrans Solutions, the leader in school transportation and routing systems
Business Wire
Wednesday, November 21, 2001   08:00 EST
JOURNAL CODE: BW   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT
DOCUMENT TYPE: NEWSWIRE
WORD COUNT: 464

...Autotask Time & Attendance features include:
- -- Security levels for employees, supervisors and executives
- -- Configurable pay-periods, **business   rules** , and time **categories**
- -- Tracking time-off **requests** , vacations, personal days and sick time.
- -- Automated routing & approval of timesheets and time off requests...

14/3,K/23   (Item 1 from file: 613)
DIALOG(R)File 613:PR Newswire
(c) 2005 PR Newswire Association Inc. All rts. reserv.

00827057 20020924SFTU014   (USE FORMAT 7 FOR FULLTEXT)
Westbridge Technology Answers Industry Call for XML Srvcs
PR Newswire
Tuesday, September 24, 2002   08:05 EDT
JOURNAL CODE: PR   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT
DOCUMENT TYPE: NEWSWIRE
WORD COUNT: 526

TEXT:
...an intractable
problem of managing the communications and policies. Westbridge Technology
enables us to logically **group** service **requestors** , web services and
policies so
that we can manage granular policies based on our client's **business
rules** ,"
said Dr. Mark Temple-Raston, Senior Architect at MphasiS, a leading system
integrator.
     "The Westbridge...

14/3,K/24   (Item 2 from file: 613)
DIALOG(R)File 613:PR Newswire
(c) 2005 PR Newswire Association Inc. All rts. reserv.

00719779 20020218NEM008   (USE FORMAT 7 FOR FULLTEXT)
WaterCove Networks Unlocks $87 Billion Opportunity
PR Newswire
Monday, February 18, 2002   08:40 EST
JOURNAL CODE: PR   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT
DOCUMENT TYPE: NEWSWIRE
WORD COUNT: 1,203

...reach new markets," said Michel Lenoir, Manager High Level Design,
Vodafone. "The WaterCove Networks Mobile **Data   Service   System**
represents the
new generation of infrastructure products dedicated to making this
substantially easier to accomplish...

...users," said Michael Doherty, Senior Analyst, Ovum.
    For more information about the WaterCove Networks Mobile **Data**
Service
  System , or to **request** a copy of WaterCove Networks' white paper, visit
www.watercove.com.

    About WaterCove Networks
    WaterCove...

 14/3,K/25   (Item 3 from file: 613)
DIALOG(R)File 613:PR Newswire
(c) 2005 PR Newswire Association Inc. All rts. reserv.

00680662 20011126NEM022 (USE FORMAT 7 FOR FULLTEXT)
WaterCove Networks' Mobile Data Service System Passes
PR Newswire
Monday, November 26, 2001 10:37 EST
JOURNAL CODE: PR LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT
DOCUMENT TYPE: NEWSWIRE
WORD COUNT: 1,009

TEXT:
...rapid
creation and delivery of services necessary to accommodate growth control
costs, WaterCove's Mobile **Data   Service   System** is based upon a
distributed
architecture optimized for mobile data services. It replaces today's...

...and partnerships with third-party providers of content, applications and
services. The company's Mobile **Data   Service   System** was recently
lauded by
Telecommunications Magazine as "Product of the Month," for its innovation
and
design.
    For more information or to **request** a copy of the WaterCove Networks'
white
paper, Purpose-Built Architecture Required for Mass Market...

 14/3,K/26   (Item 4 from file: 613)
DIALOG(R)File 613:PR Newswire
(c) 2005 PR Newswire Association Inc. All rts. reserv.

00676928 20011115NETH015 (USE FORMAT 7 FOR FULLTEXT)
WaterCove Networks' Mobile Data Service System Lauded
PR Newswire
Thursday, November 15, 2001 07:59 EST
JOURNAL CODE: PR LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT
DOCUMENT TYPE: NEWSWIRE
WORD COUNT: 650

TEXT:
...To support efficient scaling and enable rapid creation and delivery of
services, WaterCove's Mobile **Data   Service   System** is based upon a
distributed
system architecture optimized for mobile data services. It replaces today
...

...supporting up to five

times the subscribers as competing solutions.

    For more information or to **request** a copy of the WaterCove Networks'
white
paper, titled Purpose-Built Architecture Required for Mass...
?

```
Set      Items    Description
S1           5    AU=(BHOJ P? OR BHOJ, P?)
S2     1521035    CLASSIF? OR GROUP? OR CATEGOR?
S3        1004    BUSINESS()RULE? ?
S4     3381712    DATA OR INFORMATION OR INFO
S5       94284    REQUEST?
S6      713744    RESPONSE? ? OR RESPOND?
S7          13    DATA()SERVICE()SYSTEM
S8     5017169    S2:S6
S9          13    S7 AND S8
? show file
File    2:INSPEC 1969-2005/Feb W4
          (c) 2005 Institution of Electrical Engineers
File   35:Dissertation Abs Online 1861-2005/Feb
          (c) 2005 ProQuest Info&Learning
File   65:Inside Conferences 1993-2005/Mar W1
          (c) 2005 BLDSC all rts. reserv.
File   99:Wilson Appl. Sci & Tech Abs 1983-2005/Jan
          (c) 2005 The HW Wilson Co.
File  474:New York Times Abs 1969-2005/Mar 08
          (c) 2005 The New York Times
File  475:Wall Street Journal Abs 1973-2005/Mar 08
          (c) 2005 The New York Times
File  583:Gale Group Globalbase(TM) 1986-2002/Dec 13
          (c) 2002 The Gale Group
File  256:TecInfoSource 82-2005/Jan
          (c) 2005 Info.Sources Inc
```

9/5/1   (Item 1 from file: 2)

8189310   INSPEC Abstract Number: C2005-01-7250-008
   Title: **Integrating metadata tools with the** data **services archive to provide Web-based management of large-scale scientific simulation** data
   Author(s): Holmes, V.P.; Johnson, W.R.; Miller, D.J.
   Author Affiliation: Sandia Nat. Labs., Albuquerque, NM, USA
   Conference Title: Proceedings. 37th Annual Simulation Symposium   p.72-9
   Publisher: IEEE Comput. Soc, Los Alamitos, CA, USA
   Publication Date: 2004   Country of Publication: USA   xi+311 pp.
   ISBN: 0 7695 2110 X   Material Identity Number: XX-2004-01154
   U.S. Copyright Clearance Center Code: 1080-241X/04/$20.00
   Conference Title: Proceedings. 37th Annual Simulation Symposium
   Conference Sponsor: Soc. for Modelin and Simulation Int
   Conference Date: 18-22 April 2004   Conference Location: Arlington, VA, USA
   Language: English   Document Type: Conference Paper (PA)
   Treatment: Practical (P)

   Abstract: A metadata tool system and a **data · service   system** are undergoing development and integration, at Sandia National Laboratories, to provide Web-based access to high-performance computing clusters and its associated simulation **data** . These clusters host a set of scalable post-processing applications for very large **data** manipulation, and the examination of results generated by high-fidelity simulations in support of the design to analysis process for ensuring safety and reliability of the nation's nuclear weapons stockpile. The primary subject of this work is the integration of metadata tools with a **data** service archiving capability, resulting in a service-oriented and Web-based architecture, which provides end users the ability from their desktops to manage and understand simulation results for very large, complex problems. (16 Refs)
   Subfile: C
   Descriptors: **information** retrieval systems; Internet; meta **data** ;
military computing; scientific **information** systems; very large databases; weapons
   Identifiers: Web-based **data** management; large-scale scientific simulation **data** ; metadata tool system; **data service system** ; Web-based access; high-performance computing clusters; scalable postprocessing applications; very large **data** manipulation; high-fidelity simulations; nuclear weapons stockpile; **data** service archiving; service-oriented architecture; Web-based architecture
   Class Codes: C7250 (Information storage and retrieval); C7210N (Information networks); C7150 (Military computing); C6160Z (Other DBMS)
   Copyright 2004, IEE

9/5/2   (Item 2 from file: 2)

7625150   INSPEC Abstract Number: C2003-06-7810C-150
   Title: **Effective delivery of virtual class on parallel media stream server**
   Author(s): Seogyun Kim; Jiseung Nam; Soon-ja Yeom
   Author Affiliation: R&D Planning Dept., Inst. of Inf. Technol. Assessment, Seoul, South Korea
   Conference Title: Proceedings International Conference on Computers in Education   Part vol.1   p.134-5 vol.1
   Publisher: IEEE Comput. Soc, Los Alamitos, CA, USA
   Publication Date: 2002 Country of Publication: USA   2 vol.xliii+1580

pp.
ISBN: 0 7695 1509 6   Material Identity Number: XX-2002-02594
U.S. Copyright Clearance Center Code: 0-7695-1509-6/02/$17.00
Conference Title: International Conference on Computers in Education
Conference Date: 3-6 Dec. 2002   Conference Location: Auckland, New Zealand
Language: English   Document Type: Conference Paper (PA)
Treatment: Practical (P)

Abstract: A virtual class delivers most of its content through multimedia learning objects. To support such multimedia learning objects, its multimedia **data service system** should have a capacity to serve the growing number of clients and new **data** . A streaming server transfers multimedia files to clients from a repository of files in real time. The server must guarantee concurrent and uninterrupted delivery of each video stream **requested** by clients. To provide efficient services, many stream servers adopt multi-processors, sufficient memory, and RAID or SAN in their systems. In this paper, we propose a Linux-based parallel media streaming server. This system uses a unique striping policy to distribute multimedia files into the parallel storage nodes. If a service **request** occurs, each storage node transmits striped files concurrently to the client. Its performance is better than the existing single media streaming service. (4 Refs)

Subfile: C
Descriptors: client-server systems; computer aided instruction; multimedia servers; multimedia systems; parallel processing; virtual reality
Identifiers: parallel media stream server; virtual class delivery; redundant arrays of inexpensive disks; multimedia learning objects; multimedia **data service system** ; multimedia files transfer; client server system; concurrent delivery; uninterrupted delivery; video stream delivery; Linux-based parallel media streaming server; striping policy; multimedia files distribution; parallel storage nodes; service **request**
Class Codes: C7810C (Computer-aided instruction); C5440 (Multiprocessing systems); C6130M (Multimedia); C5630M (Multimedia servers); C5260D (Video signal processing); C5620 (Computer networks and techniques)

9/5/3   (Item 3 from file: 2)
DIALOG(R)File ˙ 2:INSPEC

6117846   INSPEC Abstract Number: B9902-5230-008
  Title: **Analysis and simulation of multipath interference of FM subcarrier digital signals**
  Author(s): Zeger, L.; Pei Chen; Kobayashi, H.
  Author Affiliation: Dept. of Electr. Eng., Princeton Univ., NJ, USA
  Conference Title: Proceedings Third IEEE Symposium on Computers and Communications. ISCC'98. (Cat. No.98EX166)   p.35-41
  Publisher: IEEE Comput. Soc, Los Alamitos, CA, USA
  Publication Date: 1998   Country of Publication: USA   xvii+720 pp.
  ISBN: 0 8186 8538 7   Material Identity Number: XX98-01442
  U.S. Copyright Clearance Center Code: 0 8186 8538 7/98/$10.00
  Conference Title: Proceedings of 3rd IEEE Symposium on Computers and Communications
  Conference Sponsor: IEEE Commun. Soc.; IEEE Comput. Soc. Tech. Committee on Simulation
  Conference Date: 30 June-2 July 1998   Conference Location: Athens, Greece
  Language: English   Document Type: Conference Paper (PA)

Treatment: Theoretical (T); Experimental (X)

Abstract: We present analytical results characterizing the effects of multipath interference on an FM subcarrier **data** channel. A closed form expression for the FM discriminator output (or the instantaneous received frequency) is obtained when there are M reflected path signals in addition to the primary path signal. We derive the power spectral density when the multipath interference is weak, and determine the conditions under which multipath interference causes nonlinearities in the instantaneous frequency of the received signal. In order to verify our analytical results, we have built an SPW simulator of HSDS (the high speed **data** **service**) **system** , and we have observed close agreement between our analysis and simulations. The analytical techniques presented could potentially be applied to other FM subcarrier systems, as well as to digital wireless systems that adopt FSK or its variants. Hence, our results could be useful in understanding noncoherent reception of the GSM digital cellular system, for example. (6 Refs)

Subfile: B

Descriptors: cellular radio; **data** communication; digital radio; digital signals; digital simulation; frequency modulation; multipath channels; radio reception; radiofrequency interference

Identifiers: multipath interference; FM subcarrier digital signals; **data** channel; closed form expression; FM discriminator output; instantaneous received frequency; reflected path signals; primary path signal; power spectral density; nonlinearities; received signal; SPW simulator; HSDS; high speed **data** **service** **system** ; simulations; digital wireless system; FSK; noncoherent reception; GSM digital cellular system

Class Codes: B5230 (Electromagnetic compatibility and interference); B6120 (Modulation and coding methods); B6250F (Mobile radio systems)

Copyright 1998, IEE

9/5/4   (Item 4 from file: 2)
DIALOG(R)File   2:INSPEC

5658175   INSPEC Abstract Number: C9709-6160B-033
   Title: Data **replication in a shared-nothing read-only parallel** data **server for run-time load balancing**
   Author(s): Sarkar, S.; Sarkar, S.S.
   Author Affiliation: Inst. for Math. & Applications, Minnesota Univ., Minneapolis, MN, USA
   Conference Title: High Performance Computing 1997. Grand Challenges in Computer Simulation. Proceedings of the 1997 Simulation MultiConference p.244-9
   Editor(s): Tentner, A.
   Publisher: SCS, San Diego, CA, USA
   Publication Date: 1997 Country of Publication: USA   xi+363 pp.
   Material Identity Number: XX97-00709
   Conference Title: Proceedings of High Performance Computing '97 (part of the 1997 Simulation Multiconference)
   Conference Sponsor: SCS
   Conference Date: 6-10 April 1997   Conference Location: Atlanta, GA, USA
   Language: English   Document Type: Conference Paper (PA)
   Treatment: Practical (P); Theoretical (T)
   Abstract: Run-time load balancing is always a problem in scalable parallel **data** servers because of initial **data** distribution. In practice, **data** distribution is expressed by users or database designers at the time of cluster definition. A **data** warehouse is a scalable parallel server to operate on high volumes of **data** for analytical processing. Relational model implementations for analytical processing

should incorporate very fast operations like join, scan, sort, etc. Currently, for shared-nothing MPP architecture, **data** is partitioned at load time in a shared-nothing way. The task distribution in a join, scan and sort process, is determined by the query optimizer in a relational engine and there is no possibility of load balancing at run-time because of the high network and I/O cost. However, for a large number of nodes in a MPP architecture, there may be a need for load sharing at run time, unlike the plan generated by the optimizer in relational engines. We have developed a theory for normal distribution of **data** from a node to its immediate neighbouring nodes. This normal distribution is implemented as a replication technique for small fractions of **data** from a node to its adjacent nodes at load time. Since a **data** warehouse is a read-only **data** **service** **system** , fractional replications can be distributed without worrying about audit or update. During run time, based on mutual agreements, task load can be transferred from a node to its adjacent nodes, for minimizing the overall time involved in relational operations. This normal distribution of fractional replicated **data** will lead to a unique probabilistic run-time solution for load balancing, not available in current parallel **data** servers. (8 Refs)

Subfile: C

Descriptors: **data** analysis; decision support systems; file servers; normal distribution; parallel architectures; query processing; relational databases; replicated databases; resource allocation; very large databases; virtual machines

Identifiers: **data** replication; shared-nothing read-only parallel **data** server; run-time load balancing; **data** distribution; scalable parallel server; **data** warehouse; **data** analysis; MPP architecture; query optimizer; relational engine; normal distribution; replication technique

Class Codes: C6160B (Distributed databases); C4250 (Database theory); C6160Z (Other DBMS); C5220P (Parallel architecture); C6160D (Relational databases)

Copyright 1997, IEE

9/5/5   (Item 5 from file: 2)
DIALOG(R)File   2:INSPEC
(c) 2005 Institution of Electrical Engineers. All rts. reserv.

04377282   INSPEC Abstract Number: B9305-6250F-138
 Title: **Update of RAM Mobile** Data **'s packet** data **radio service**
  Author(s): Kilpatrick, J.A.
  Author Affiliation: RAM Mobile Data USA Ltd. Partnership, Woodbridge, NJ, USA
  Conference Title: Vehicular Technology Society 42nd VTS Conference. Frontiers of Technology. From Pioneers to the 21st Century (Cat. No.92CH3159-1)   p.898-901 vol.2
  Publisher: IEEE, New York, NY, USA
  Publication Date: 1992 Country of Publication: USA   2 vol. 1092 pp.
  ISBN: 0 7803 0673 2
  U.S. Copyright Clearance Center Code: 0 7803 0673 2/92$03.00
  Conference Sponsor: IEEE
  Conference Date: 10-13 May 1992   Conference Location: Denver, CO, USA
  Language: English   Document Type: Conference Paper (PA)
  Treatment: Practical (P)
  Abstract: The state of the service is presented, including coverage; the accelerated build-out schedule; current users of the service; the types of terminals and applications available; and how the Mobitex-based packet-switched radio **data** **service** **system** is being constructed. In addition, some of the technical details of the open Mobitex air interface are described in order to show how mobile terminals effectively operate in

the difficult mobile radio environment. (0 Refs)
   Subfile: B
   Descriptors: **data** communication systems; mobile radio systems; packet
radio networks
   Identifiers: RAM Mobile **Data** ; terminal types; coverage; build-out
schedule; users; Mobitex-based packet-switched radio **data** service;
Mobitex air interface; mobile radio environment
   Class Codes: B6250F (Mobile radio systems)

   9/5/6   (Item 6 from file: 2)
DIALOG(R)File   2:INSPEC

00689742   INSPEC Abstract Number: B74037008, C74021806
   Title: IDDS (International Digital Data   Service .)   system
 configuration
   Author(s): Jockers, K.M.
   Author Affiliation: Western Union Internat. Inc., New York, NY, USA
   Journal: Telecommunications   vol.8, no.7   p.41-3, 44
   Publication Date: July 1974   Country of Publication: USA
   CODEN: TLCOAY ISSN: 0040-2494
   Language: English   Document Type: Journal Paper (JP)
   Treatment: Practical (P)
   Abstract: This article discusses the configuration of equipment used to
provide the international digital **data** service. (0 Refs)
   Subfile: B C
   Descriptors: communications applications of computers; digital
communication systems
   Identifiers: International Digital **Data** Service; configuration of
equipment; IDDS; system configuration; computer control
   Class Codes: B6210L (Computer communications); C5600 (Data communication
equipment and techniques); C7410F (Communications)

   9/5/7   (Item 7 from file: 2)
DIALOG(R)File   2:INSPEC

00663661   INSPEC Abstract Number: C74017845
 Title: A data   service   system
   Author(s): Elmore, P.B.; White, G.W.
   Journal: AEDS Monitor   vol.12, no.7   p.5, 14
   Publication Date: Feb. 1974   Country of Publication: USA
   CODEN: AEDMAD ISSN: 0001-1045
   Language: English   Document Type: Journal Paper (JP)
   Treatment: Applications (A); Practical (P)
   Abstract: After reviewing a number of journals in the computer education
and measurement areas, it became apparent that many institutions seem to be
writing specific computer programs for test scoring applications but few
have developed generalized **data** analysis programs. This article was
written to describe a generalized **data**   **service**   **system**   that
incorporates many scanning applications. (9 Refs)
   Subfile: C
   Descriptors: **data** handling; educational administrative **data**
processing
   Identifiers: **data**   **service**   **system** ; computer education; measurement;
test scoring applications; generalized **data** analysis programs;
generalized **data**   **service**   **system** ; scanning applications
   Class Codes: C6130 (Data handling techniques); C7110 (Education)

     The proliferation of mobile devices has made mobile **data** management
a hot topic in recent mobile computing research. One of the most
challenging objectives of mobile **data** management is the vision of **data**
access from anywhere at any time. Due to the special characteristics of
mobile environment, mainly variable even absent network connection and the
frequent unavailability of access to mobile devices, this vision becomes
extraordinarily difficult relative to fixed, wired network computing. An
optimistic **data** replication is a generally agreed upon method to
alleviate the adverse mobile environment. However, the two currently most
popular models, the Client/Server and Peer-to-Peer models, do not meet the
need very well for this purpose in many aspects, such as **data** spectrum,
communication mechanisms and simplicity. To address these challenges, in
our research, we proposed an application transparent, double
middleware-based software architecture. One logical mobile server is first
introduced to provide highly available **data** service, which often cannot
be met by mobile devices. Two middlewares, Mobile-Mobile Environment
Manager (M-MEM) and Fixed-Mobile Environment Manager (F-MEM), are
instrumented into mobile device and the highly available mobile server,
respectively. The combination of M-MEM and F-MEM has taken the advantages
of both the Client/Server model and the Peer-to-Peer model. In the new
architecture, the **data** spectrum is extended to any file in mobile
devices. **Data** are selected to be under the control of the mobile **data**
service   system , according to its activeness from the mobile user's
behavior. Active **data** are transparently and automatically replicated
among multiple heterogeneous devices along the mobile user through the
highly available F-MEM. **Data** consistency among multiple replicas is
automatically maintained by the system without user intervention. The
update propagation is based on a combination of PUSH and PULL models. **Data**
 and control communication is through an XML-based protocol to meet the
needs of the heterogeneous platforms, from both the hardware and software
sense, of mobile devices. The security of communication is ensured by a PGP
based public key encryption system. A reliable, asynchronous message
computing-based model is used in our architecture to address the issues in
the mobile environment, such as the intermittent network connection and low
bandwidth. To adapt to the mobile network, two techniques are employed.
First, the **data** and control **request** are optimized to minimize the
potential communication. Second, for the inevitable network traffic, an
incremental update-based mobile network traffic adaptor is employed to
reduce the communication content. To validate the architecture, both trace
driven-based simulation and synthetic user-based testing are employed.
Trace-based simulation is used to refine the system and various

experiments. Synthetic user simulation is extensively used to test the robustness of the system.

9/5/9   (Item 1 from file: 99)
DIALOG(R)File   99:Wilson Appl. Sci & Tech Abs
(c) 2005 The HW Wilson Co. All rts. reserv.

1131032 H.W. WILSON RECORD NUMBER: BAST93063242
UK gets data **super-highway**
Fletcher, Peter;
Electronics v. 66 (Dec. 13 '93) p. 12
DOCUMENT TYPE: Feature Article ISSN: 0883-4989 LANGUAGE: English
RECORD STATUS: New record

ABSTRACT: The U.K. now has its first broadband **data** communications highway--a switched multi-megabit **data** **service** **system** built by British Telecommunications. The service will open for commercial business on New Year's Eve 1993, and will start with 14 access nodes in major business centers around the British Isles, offering a range of service classes at **data** rates of 2 Mbits/s, 4 Mbits/s, 16 Mbits/s, and 25 Mbits/s.

DESCRIPTORS: Broadband telecommunications networks; British
  Telecommunications plc;

9/5/10   (Item 1 from file: 475)
DIALOG(R)File 475:Wall Street Journal Abs
(c) 2005 The New York Times. All rts. reserv.

06538000
WORLD WIRE: TOKYO'S OFFICE VACANCIES GROW
Wall Street Journal, Col. 6, Pg. 12, Sec. A
Tuesday July 27 1993
DOCUMENT TYPE: Newspaper JOURNAL CODE: WSJ LANGUAGE: English
RECORD TYPE: Abstract

ABSTRACT:
   Ikoma **Data** **Service** **System** reports the office vacancy rate in Tokyo rose to 7.5% in June 1993 from 7% in March (S)

DESCRIPTORS: REAL ESTATE; OFFICE BUILDINGS
GEOGRAPHIC NAMES: TOKYO (JAPAN)

9/5/11   (Item 1 from file: 583)
DIALOG(R)File 583:Gale Group Globalbase(TM)
(c) 2002 The Gale Group. All rts. reserv.

09578699
Tokyo To Have New Office Space of 1 Mln Sq Meters In 2003
   JAPAN: VACANCY RATE UP, NEW OFFICE SPACE GROWS
Nikkei Net Interactive (ATM)   09 Aug 2001 NihonKeizai Shimbun Online
Language: ENGLISH

As of <30 June 2001>, the vacancy rate for office space was at 3.7% for the 23 wards in Tokyo, Japan, compared to <3.6%> in three months earlier. This was reported by a Japan-based real estate broker, Ikoma **Data** **Service** **System** Co. However, the newly developed office space is still in the

rise. According to the Commercial Property Research Institute's survey, in 2003, the total of completed new office space in Tokyo metropolitan area will be up to one mn square meters. Commercial Property Research Institute is a private research company.

COMPANY: IKOMA **DATA   SERVICE   SYSTEM** ; COMMERCIAL PROPERTY RESEARCH INSTITUTE

PRODUCT: Lessors of Nonresidential Bldgs (6512);
EVENT: Sales & Consumption (65);
COUNTRY: Japan (9JPN);

9/5/12   (Item 2 from file: 583)
DIALOG(R)File 583:Gale Group Globalbase(TM)
(c) 2002 The Gale Group. All rts. reserv.

05986459
Office rents post first rise since '92
  JAPAN: OFFICE RENT SEES UPTURN IN FIRST QUARTER
The Japan Times (XAO)   27 Apr 1994 P.12
Language: ENGLISH

Office rents in Tokyo saw an upswing in the period from January to March 1994. The average rent collected by 23 wards in Tokyo amounted to Y 26,963 per 3.3 sq metres in the first quarter. This represented an increase of Y 1,743 from the preceding quarter, reported by Ikoma **Data   Service System** Co. *

COMPANY: IKOMA **DATA   SERVICE   SYSTEM**

PRODUCT: Lessors of Nonresidential Bldgs (6512);
EVENT: Commodity & Service Prices (72);
COUNTRY: Japan (9JPN);

9/5/13   (Item 3 from file: 583)
DIALOG(R)File 583:Gale Group Globalbase(TM)
(c) 2002 The Gale Group. All rts. reserv.

02198405
RADIO **DATA   SERVICE   SYSTEM** TO MAKE RADIOS EASIER TO USE
  UK - RADIO **DATA   SERVICE   SYSTEM** TO MAKE RADIOS EASIER TO USE
Electronics Weekly (ECW)   19 October 1988 p12
ISSN: 0013-5224

UK broadcasters are pushing for the Radio **Data** Service (RDS) system to make radios easier to use. RDS **information** is sent alongside the normal sound broadcasts of each station. **Information** is carried in 26-bit blocks, 16-bits of which contain the RDS **data** and the rest carries a `checkword' to check on transmission errors. Programme service (PS) is the name given to the identity of the radio station, and therefore the listener can tell which station he is listening to. To identify where the **information** is coming from the programme identification (PI) indicates the country of origin. The user knows that even if the frequency is different all signals that contain the same PI code will come from the same station, permitting the receiver to choose the strongest signal. The PI code is sent at the beginning of a block of **information** . The second block informs the receiver of the class of **information** to be transmitted. There 32 different applications. **Data** is transmitted at 11 blocks/s.

PRODUCT: Cellular Radio Equipment (3662CE); Cellular Radio Services (
4811CR); Mobile **Data** Communications Svcs (4811MD); Teletext Services (
4811TT);
EVENT: MARKET & INDUSTRY NEWS (60);
COUNTRY: United Kingdom (4UK); OECD Europe (415); NATO Countries (420);
    South East Asia Treaty Organisation (913);